AUTHOR INDEX

Ackermann, Th.: see Franck, F.
Alfasi, M.: see Tal, M.
Almassy, R., Zil, J. S. V., Lum, L. G., and Ifft, J. B.: Buoyant and Potentiometric Titrations of Synthetic Polypeptides. I. Six Ionizable Homopolypeptides in CsCl Solutions, 2713
Alvarez, J. and Biltonen, R.: Nucleic Acid-Solvent Interactions: Temperature Dependence of the Heat of Solution of Thymine in Water and Ethanol, 1815
Anderson, R. L., Cassidy, J. M., Hansen, J. R., and Yellin, W.: Hydration of Stratum Corneum, 2789
Appleby, D. W. and Kallenbach, N. R.: Theory of Oligonucleotide Stabilization I. The Effect of Single-Strand Stacking, 2093
Ascoli, F., Branca, M., Mancini, C., and Pispisa, B.: Different Behavior of Native and Denatured DNA in the Interaction with Tris(ethylenediamine) Co(III) Complex Ions, 2431
Atkins, E. D. T., Nieduszynski, I. A., Mackie, W., Parker, K. D., and Smolko, E. E.: Structural Components of Alginic Acid. I. The Crystalline Structure of Poly-β-D-Mannuronic Acid. Results of X-Ray Diffraction and Polarized Infrared Studies, 1865
——, ——, ——, ——, and ——: Structural Components of Alginic Acid. II. The Crystalline Structure of Poly-α-L-Guluronic Acid. Results of X-Ray Diffraction and Polarized Infrared Studies, 1879
Avignon, M., Garrigou-Lagrange, C., and Bothorel, P.: Conformational Analysis of Dipeptides in Aqueous Solution. II. Molecular Structure of Glycine and Alanine Dipeptides by Depolarized Rayleigh Scattering and Laser Raman Spectroscopy, 1651
Azbel', M. Ya.: The Inverse Problem for DNA, 1591
Bailey, J. M.: The Electrostatic Potential of a Discretely Charged Cylinder in Solution, 559
——: A Comparison of Two Cluster Expansion Approaches to Polyelectrolyte Theory, 1705
Balasubramanian, D., Kalita, C. C., and Kovacs, J.: Conformational Studies of Anthrax Polypeptide, Subtilis Polypeptide, and Synthetic Poly-γ-L-Glutamic Acid, 1089
—— and Shaikh, R.: On the Interaction of Lithium Salts with Model Amides, 1639
Bardelmeyer, G. H.: Electric Conduction in Hydrated Collagen. I. Conductivity Mechanisms, 2289
——: Electrical Conduction in Collagen. II. Some Aspects of Hydration, 2303
Barrett, J. C.: see Kan, L. S.
Barteri, M. and Pispisa, B.: Influence of Isopropanol-Water Solvent Mixtures on the Conformation of Poly-L-Lysine, 2309
Bean, C. P. and Bennett, A. J.: Conformational Changes of Polypeptides in Intense Electric Fields, 817
Beckwith, A. C.: see Wall, J. S.
Belli, M.: The Evaluation of Standard Sedimentation Coefficient in Band Sedimentation of Macromolecules, 1853
Benedek, G. B.: see Hocker, L.
Bennett, A. J.: The Absorption of Globular Proteins, 1671
——: see Bean, C. P.
Berg, R. A.: see Tal, M.
Berne, B. J. and Giniger, R.: Electrophoretic Light Scattering as a Probe of Reaction Kinetics, 1161
Bernengo, J. C.: see Hanss, M.
Billups, C.: see Strickland, E. H.
Biltonen, R.: see Alvarez, J.
Blackwell, J.: see Gelman, R. A.
Blake, R. D. and Fresco, J. R.: Polynucleotides. XI. Thermodynamics of $(A)_N \cdot 2(U)_\infty$ From the Dependence of T_m^n on Oligomer Length, 775
Blok, J.: see Greve, J.
Bobst, A. M.: see Pan, Y.-C. E.

Borin, G.: see Moroder, L.
——, Moroder, L., Marchiori, F., and Scoffone, E.: Studies on Cytochrome c. Part IV. Synthesis of the Protected Dodecapeptide (Sequence 45-46) of Baker's Yeast Iso-1-cytochrome c, 521
——, ——, ——, and ——: Studies on Cytochrome c. Part V. Synthesis of the Protected Decapeptide (Sequence 57-66) of Baker's Yeast Iso-1-cytochome c, 693
Bothorel, P.: see Avignon, M.
Boublik, M., Brot, N., and Weissbach, H.: The Conformational Stability of Ribosomal Proteins L_7 and L_{12} from *E. coli*. I. Circular Dichroism Study of the Changes Induced by Ionic Strength and Solvents, 2083
Brahms, J.: see Pilet, J.
Branca, M.: see Ascoli, F.
Brazhnikov, E. V.: see Chirgadze, Yu. N.
Breese, K.: see Bull, H. B.
Brewster, A. I. R.: see Tonelli, A. E.
Briedé, J. W. H.: see Van Der Touw, F.
Brot, N.: see Boublik, M.
Brown, R. D.: see Williams, F. D.
Broyde, S. B.: see Stellman, S. D.
Bryan, A. M. and Olafsson, P. G.: Calorimetric Investigations of Crystalline 3′,5′-Cyclic Nucleotides, 229
Bull, H. B. and Breese, K.: Temperature Dependence of Partial Volumes of Proteins, 2351
Burgess, A. W. and Scheraga, H. A.: Stable Conformations of Dipeptides, 2177
Burgess, A. W. and Leach, S. J.: An Obligatory α-Helical Amino Acid Residue, 2599
—— and ——: Conformational Studies on Alamethicin, 2691
Camous, B.: see Vasilescu, D.
Cassidy, J. M.: see Anderson, R. L.
Chandrasekaran, R., Lakshminarayanan, A. V., Mohabakrishan, P., and Ramachandran, G. N.: Conformation of Cyclic Dipeptides from Empirical Energy Calculations, 1421
Chang, C.-T.: see Lee, C. H.
Chang, E. P.: see Chien, J. C. W.
—— and Chien, J. C. W.: The Effect of Ions on the Superstructures of Reconstituted Collagen, 1063
—— and ——: Optical Characterization of Orientation of Collagen, 2751
Chay, T. R. and Stevens, C. L.: Kinetic Study on Unzippering of Polynucleotides and Order-Order Transition in Polypeptides, 2563
Chen, F.: see Goodman, M.
Chen, Y.-D.: see Hill, T. L.
Chien, J. C. W.: see Chang, E. P.
—— and Chang, E. P.: Influence of Telopeptide on the Morphology and Physicomechanical Properties of Reconstituted Collagens, 2045
Chirgadze, Yu. N. and Ovsepyan, A. M.: Observation of Small Conformational Changes in the Sperm-Whale Myoglobin by the Far-Infrared Spectra, 637
—— and Braznikov, E. V.: Intensity of the Infrared Amide I Band of Dipeptides in Heavy Water, 2185
——, Shestopalov, B. V., and Venyaminov, S. Yu.: Intensities and Other Spectral Parameters of Infrared Amide Bands of Polypeptides in the β- and Random Forms, 1337
Chun, P. W., Richard, A. J., Herschler, W. P., and Krista, M. L.: Ultracentrifugal Field Relaxation Behavior of f_d-DNA, 1931
Clauwaert, J.: see Slegers, H.
Clement, R. M., Sturm, J., and Daune, M. P.: Interaction of Metallic Cations with DNA. VI. Specific Binding of Mg++ and Mn++, 405
Combelas, P., Garrigou-Lagrange, C., and Lascombe, J.: Etude par Spectroscopic Infrarouge de la Transformation Hélice-Chaine Statistique des Polypeptides. I. Etude Comparée de l'Interaction de la Poly-L-alanine et d'un Amide Modèle avec l'Acide Trifluoroacétique, 611
Cox, D. J.: see Lord, R. S.
Craig, A. M.: see Small, E. W.
Cramer, F.: see Maelicke, A.
Cross, B. P. and Schleich, T.: Determination of the Molecular Conformation of β-D-O^2,2-Cyclouridine in Aqueous Solutions by Proton Magnetic Resonance Spectroscopy, 2381
Crothers, D. M.: see DeLisi, C.
Cunningham, L. W.: see Segrest, J. P.
Czurylo, E. A.: see Ingwall, R. T.
Dakhis, M. I., Dashevsky, V. G., and

Kitaigorodsky, A. I.: The Vibrational Spectra and Conformations of Some Peptide Compounds: An Application of the Additive Interatomic Interaction Model, 1763
Dalgleish, D. G., Dingsøyr, E., and Peacocke, A. R.: A Comparison of the Interactions of Proflavine with DNA and with Deoxyribonucleohistone Using Circular Dichroism Spectroscopy, 445
Das, J.: see Goswami, D. N.
Das Gupta, D. D.: see Goswami, D. N.
Dashevsky, V. G.: see Dakhis, M. I.
Daune, M. P.: see Clement, R. M.
——: see Richard, H.
Deal, W. J.: Cooperative Binding of Oxygen to Hemoglobin: Analysis of Accurate Equilibrium Binding Data, 2057
Dehl, R. E.: The Effect of Salts on the Nmr Spectra of D_2O in Collagen Fibers, 2329
de la Hoz, L.: see Suwalsky, M.
De Lisi, C.: Conformational Changes in Transfer RNA. I. Equilibrium Theory, 1713
—— and Crothers, D. M.: The Contribution of Proximity and Orientation to Catalytic Reaction Rates, 1689
Del Pra, A., Mammi, M., and Peggion, E.: Solid-State Conformation of Poly-(1-benzyl)-L-Histidine by X-Ray, 937
——, Spadon, P., and Valle, G.: X-Ray Studies on the Conformation of Poly-N^{γ}-Carbobenzoxy-L-α-γ-diaminobutyric Acid and Poly-N^{δ}-carbobenzoxy-L-ornithine, 941
Dénes, F.: see Simionescu, Cr.
De Santis, P., D'Ilario, L., Lamanna, G., Morosetti, S., and Savino, M.: Circular Dichroism and Molecular Conformation of Copper(II)-Gramicidin S Complexes, 423
D'Ilario, L.: see De Santis, P.
Dingsøyr, E.: see Dalgleish, D. G.
Dishon, M.: see Weiss, G. H.
Domard, A.: see Rinaudo, M.
Dore, E., Frontali, C., and Gratton, E.: The Effect of Temperature on Acid Condensation of DNA, 1171
Dubin, P. L.: The effect of *tert*-Butanol on the Conformational Stability of Poly-L-glutamic Acid: The Role of Side-Chain Interactions, 685
Duflot, C.: see Loucheux, M.-H.
Dufour, C.: see Reibel, L.
Dwivedi, A. M.: see Gupta, V. D.
Eisenstadt, M. and Scheinberg, I. H.: Dielectrophoresis of Macromolecules, 2491
Epand, R. M.: see Neumann, A. W.
Fanconi, B.: Low-Frequency Vibrational Spectra of Some Homopolypeptides in the Solid State, 2759
Ferrara, L. and Temussi, P. A.: Solvent Dependence of the Helix-Coil Transition of Poly-γ-benzyl-L-glutamate. A PMR Study, 1451
Ferretti, J. A.: see Milstien, J. B.
Ferry, J. D.: see Warren, T. C.
Fiers, W.: see Slegers, H.
Fischer, C.: see Sarko, A.
Fissi, A.: see Pieroni, O.
Flemming, J.: Über die Adsorption von DNA in der Grenzfläche Quecksilber-Elektrolyte. III. Reaktoinen der DNA in der Grenzfläche Quecksilber-Elektrolyte, 1975
Flory, P. J.: see Ingwall, R. T.
Franck, F. and Ackermann, Th.: A Calorimetric Study of a Polymer-Monomer Complex Formed by Polyuridylic Acid and 3′,5′-Cyclic AMP, 373
Fresco, J. R.: see Blake, R. D.
——: see Lomant, A. J.
Frontali, C.: see Dore, E.
Fugiwara, T.: see Nakajima, A.
Fujii, M., Honda, K., and Fujita, H. Dilute Solution of Amylose in Dimethylsulfoxide, 1177
Fujita, H.: see Fujii, M.
——: see Matsuoka, M.
——: see Norisuye, T.
Fung, B. M. and Wei, S. C.: The Effect of Alkali and Alkaline Earth Salts on the Structure of Hydrated Collagen Fibers as Studied by Deuterium NMR, 1053
Garrigou-Lagrange, C.: see Avignon, M.
——: see Combelas, P.
Gelman, R. A. and Blackwell, J.: Interactions Between Mucopolysaccharides and Cationic Polypeptides in Aqueous Solution: Chondroitin 4-Sulfate and Dermatan Sulfate, 1959
——, Rippon, W. B., and Blackwell, J.: Interactions Between Chondroitin-6-

Sulfate and Poly-L-Lysine in Aqueous Solution: Circular Dichroism Studies, 541
——, Glaser, D. N., and Blackwell, J.: Interaction Between Chrondroitin-6-sulfate and Poly-L-arginine in Aqueous Solution, 1223
Gilon, C.: see Monahan, M. W.
Giniger, R.: see Berne, B. J.
Glaser, D. N.: see Gelman, R. A.
Gō, N. and Suezaki, Y.: Analysis of the Helix-Coil Transition in (Pro-Pro-Gly)$_n$ by the All-or-None Model, 1927
Goldstein, B.: Theory of Melting of the Triple Helix Poly(A + 2U) for a 1:2 Mixture of Poly A to Poly U, 461
——and Zimm, B. H.: Anomalies in Sedimentation. I. Stability Theory of Sedimenting Entanglements in the "Tight-Bending" Limit, 857
Goodman, M. and Ueyama, N.: An Alternative Explanation to Peptide Bond Protonation in Deuterochloroform Trifluoroacetic Acid as Measured by Nuclear Magnetic Resonance, 2639
——, Chen, F., and Prince, F. R.: Conformational Aspects of Polypeptide Structure. XLIV. Conformational Transitions of Poly-(*N*-Methyl-alanines) Induced by Trifluoroacetic Acid, 2549
Goswami, D. N., Das, J., and Das Gupta, D. D.: Dielectric Behavior of DNA-Proflavine Complex, 1047
Govil, G. and Smith, I. C. P.: A Carbon-13 Magnetic Resonance Study of the Helix-Coil Transition in Poly-uridylic Acid, 2589
Grandja, Š.: see Pifat, G.
Grant, E. H.: see South, G. P.
Gratton, E.: see Dore, E.
Gray, D. M., Ratliff, R. L., and Williams, D. L.: The Circular Dichroism of Polyd(AAT):d(ATT) and Polyr-(AAU):r(AUU). A Test of the First-Neighbor Hypothesis, 1233
Gray, H. B., Jr: see Ostrander, D. A.
Greve, J. and Blok, J.: Transient Electric Birefringence of T.-Even Bacteriophages. I. T4B in the Absence of Tryptophan and Fiberless T4 Particles, 2607
Gupta, V. D., Singh, R. D., and Dwivedi, A. M.: Vibrational Spectra and Dispersion Curves of Poly-L-proline II Chain, 1377
Hamori, E.: see Senior, M. B.
Hansen, J. R.: see Anderson, R. L.
Hanss, M. and Bernengo, J. C.: Dielectric Relaxation and Orientation of DNA Molecules, 2151
——, Roux, B., Bernengo, J. C., Milas, M., and Rinaudo, M.: Electro-Optical Properties of Carboxymethylcellulose. I. Concentration and Ionic Strength Dependence, 1747
Hatano, M., Yoneyama, M., and Sato, Y.: Interaction of Poly-α,L-glutamic Acid with Acridine Orange, 895
——, ——, ——, and Kawamura, Y.: Induced Optical Activity Activity in Poly-L-lysine-Methyl Orange System, 2423
Hayashi, T.: see Nakajima, A.
Hermans, J., Jr.: see Nelson, D. J.
Herschler, W. P.: see Chun, P. W.
Higashimura, T.: see Imanishi, Y.
——: see Sisido, M.
——: see Sugihara, T.
Hill, T. L.: Thermodynamics of Ligand Binding on Dilute Polymer Molecules in Solution: Complementary Monomers and Oligomers on Polynucleotides, 257
—— and Chen, Y.-D.: Theory of Aggregation in Solution. I. General Equations and Application to the Stacking of Bases, Nucleosides, Etc., 1285
Hiltner, W. A. and Hopfinger, A. J.: The Influence of Torsional Rotation About the Peptide Bond on Polypeptide Conformation, 1197
——, ——, and Walton, A. G.: Conformational Analysis of an Ionizable Polydipeptide, 157
Hingerty, B.: see Stellman, S. D.
Hocker, L., Krupp, J., Benedek, G. E., and Vournakis, J.: Observations of Self-Aggregation and Dissociation of *E. coli* Ribosomes by Optical Mixing Spectroscopy, 1677
Hoffman, G. W. and Pörschke, D.: Cooperative Nonenzymic Base Recognition. Thermodynamics of the Helix-Coil Transition of a Monomer-Polymer Double Helix, 1611
—— and Pörschke, D.: Cooperative Nonenzymic Base Recognition. Kinetics of the Binding of a Base Mon-

omer to a Complementary Polynucleotide Template, 1625
Holzwarth, G.: see Mandel, R.
Honda, K.: see Fujii, M.
Hopfinger, A. J.: see Hiltner, W. A.
Husimi, Y.: see Segawa, S.-I.
Ifft, J. B.: see Almassy, R.
Iitaka, Y.: see Morikawa, K.
Ikeda, S.: see Imae, T.
——: see Maeda, H.
Ikehara, K.: see Utiyama, H.
Imae, T. and Ikeda, S.: The Viscosity Behavior and Conformations of Low-Molecular-Weight Poly-γ-benzyl-L-glutamate in Various Solvents, 1203
Imanishi, Y.: see Sisido, M.
——: see Sugihara, T.
——, Nagaoka, S., Suzuoki, K., and Higashimura, T.: Effect of Degree of Polymerization and Steric Configuration of Poly(2-vinylpyridine) as Catalyst in the Polymerization of Phenylalanine NCA, 181
——, Sugihara, T., and Higashimura, T.: Polymerization of DL-Phenylalanine NCA Initiated by Copolymer of Sarcosine and DL-Phenylalanine, 1505
——, Kugimiya, K., and Higashimura, T.: Polymerization of L- and DL-Phenylalanine *N*-Carboxyanhydride by Poly(*N*-methyl-L-alanine), 2643
Inagaki, T.: Optial Absorptions of Aliphatic Amino Acids in the Far Ultraviolet, 1353
Ingwall, R. T. and Flory, P. J.: Depolarized Light Scattering by Amides and Peptides, 1123
——, Czurylo, E. A., and Flory, P. J.: Kerr Constants of Amides and Peptides, 1137
Isenberg, I.: see Small, E. W.
Itoh, K. and Katabuchi, H.: Far-Infrared Spectra of Sequential Polypeptides with α-Helical and Polyglycine II Structures, 921
Ivanov, V. I., Minchenkova, L. E., Schyolkina, A. K., and Poletayev, A. I.: Different Conformations of Double-Stranded Nucleic Acid in Solution as Revealed by Circular Dichroism, 89
Janik, B. and Sommer, R. G.: Polarography of Polynucleotides. IV. Effect of the Molecular Weight of Poly(U) on Its Adsorption at a Charged Surface, 2803
Jennings, B. R.: see Schweitzer, J.
Johnson, M., Yphantis, D. A., and Weiss, G. H.: Instability in Pressure-Dependent Sedimentation of Monomer-Polymer Systems, 2477
Johnson, W. C., Jr.: see Snyder, P. A.
Jordan, F.: An Extended Hückel Molecular Orbital Approach to the Study of the Electronic Structures and Barriers to *Syn-Anti* Interconversion in *Syn* Purine Nucleosides, 243
Kabat, E. A. and Wu, T. T.: The Influence of Nearest-Neighboring Amino Acid Residues on Aspects of Secondary Structure of Proteins. Attempts to Locate α-Helices and β-Sheets, 751
Kaji, K.: see Nakajima, A.
Kalita, C. C.: see Balasubramanian, D.
Kallenbach, N. R.: see Appleby, D. W.
——, Ma, R. I., Ofengand, J., and Siddiqui, M. A. Q.: Thermal Transitions in *E. coli* $tRNA^{fMet}$ and Two of its Molecular Fragments, 1247
Kan, L. S., Barrett, J. C., Miller, P. S., and Ts'o, P. O. P.: Proton Magnetic Resonance Studies of the Conformational Changes of Dideoxynucleoside Ethyl Phosphotriesters, 2225
——, ——, and Ts'o, P. O. P.: The Distant Shielding Effect in Trinucloeside Diphosphates, 2409
Katabuchi, H.: see Itoh, K.
Katchalsky, A.: see Revzin, A.
Kawamura, Y.: see Hatano, M.
Kelley, G. R.: see Kikkert, J. N.
Kikkert, J. N., Kelley, G. R., and Kurucsev, T: Interactions between Purine Derivatives: Electronic Spectral Studies. I. Electronic Transitions in Caffeine Monomer and Exciton Coupling in Caffeine Dimer, 1459
Kikuchi, K. and Yoshioka, K.: Electric Birefringence of Poly-L-lysine Hydrobromide in Methanol-Water Mixtures and Helix-Coil Transition Induced by High Electric Fields, 2667
King, T. A., Knox, A., and McAdam, J. D. G.: Translational and Rotational Diffusion of Tobacco Mosaic Virus from Polarized and Depolarized Light Scattering, 1917
Kitaigorodsky, A. I.: see Dakhis, M. I.
Klotz, I. M.: see Tam, J. W. O.
Knox, A.: see King, T. A.
Kobayashi, S.: see Minakata, A.

Köhnlein, W.: see Mönkehaus, F.
Komatsubara, M., Suzuki, K., Nakajima, H., and Wada, Y.: Electroviscous Effect of Lysozyme in Aqueous Solutions, 1741
Kopple, K. D., Wiley, G. R., and Tauke, R.: A Dihedral Angle-Vicinal Proton Coupling Constant Correlation for the α-β Bond of Amino Acid Residues, 627
Kovacs, J.: see Balasubramanian, D.
Kranck, H.: see Vasilescu, D.
Krimm, S.: see Tiffany, M. L.
Krista, M. L.: see Chun, P. W.
Krupp, J.: see Hocker, L.
Kugimiya, K.: see Imanishi, K.
Kurata, M.: see Utiyama, H.
Kurucsev, T.: see Kikkert, J. N.
Kyogoku, Y.: see Morikawa, K.
Lages, B. and Stivala, S. S.: Interaction of the Polyelectrolyte Heparin with Copper(II) and Calcium, 127
—— and Stivala, S. S.: Copper Ion Binding and Heparin Interactions of Human Fibrinogen, 961
Laiken, N.: Theoretical Model for the Equilibrium Behavior of DNA Superhelices, 11
Lakshminarayanan, A. V.: see Chandrasekaran, R.
Lamanna, G.: see De Santis, P.
Lamonte, R.: see Rosseneu-Motreff, M. Y.
Lang, J.: see Zana, R.
Lange, A.: see Zeiger, A. R.
Langridge, R.: see Stellman, S. D.
Lascombe, J.: see Combelles, P.
Leach, S. J.: see Burgess, A. W.
Le Barny, P. and Loucheux-Lefebvre, M.-H.: Study by Circular Dichroism and Optical Rotatory Dispersion of Polypeptides with Aromatic Side-Chain Chromophores, 2831
Lee, C. H., Chang, C.-T., and Wetmur, J. G.: Induced Circular Dichroism of DNA-Dye Complexes, 1099
Lerner, D. A. and Schleich, T.: The Solution Behavior of Poly-L-Proline: II. Fluorescence Behavior of Labeled Polyproline in Water and Concentrated Aqueous Neutral Salt Solutions, 1011
Li, H. J.: Helix-Coil Transition in Nucleoprotein—Theory and Applications, 287
——: see Yu, S. S.
Lifson, S.: see Schellman, J. A.
Lippert, J. L.: see Yu, T.-J.
Lomant, A. J. and Fresco, J. R.: Polynucleotides. XIII. Stoichiometric and Thermodynamic Studies of Polynucleotide Helices with Non-Complementary Residues, 1889
Lord, R. S. and Cox, D. J.: Optical Activity of Simple Peptides. I. Glycine Oligopeptides with Internal L-Alanyl or L-Glutamyl Residues, 2359
Loucheux, M.-H. and Duflot, C.: The Extrinsic Cotton Effects of Nitrobenzylic Chromophore Bound to Helical Poly-α,L-Glutamic Acid, 121
Loucheux-Lefebvre, M.-H.: see Le Barny, P.
Loxsom, F. M.: see Tterlikkis, L.
Lum, L. G.: see Almassy, R.
Ma, R. I.: see Kallenbach, N. R.
Mackie, W.: see Atkins, E. D. T.
Macoveanu, M.: see Simionescu, Cr.
Madison, V.: Conformational Energy and Circular Dichroism Computed for Cyclo-(Pro-Gly)$_3$, 1837
Maeda, H. and Ikeda, S.: Phase Separation in the Beta-Coil Transition of Poly-*S*-Carboxyethyl-L-cysteine, 2121
Maelicke, A., von der Haar, A. M. F., and Cramer, F.: Spectroscopic Properties of Oligonucleotides Excised from the Anticodon Region of Phenylalanine tRNA from Yeast, 27
Mammi, M.: see Del Pra, A.
Mancini, C.: see Ascoli, F.
Mandel, M.: see Van Der Touw, F.
Mandel, R. and Holzwarth, G.: Ultraviolet Circular Dichroism of Polyproline and Oriented Collagen, 655
Marchiori, F.: see Borin, G.
——: see Moroder, L.
Maričič, S.: see Pifat, G.
Marlborough, D. I.: The Optical Rotatory Properties of Poly-γ-D-Glutamic Acid, 1083
Martin, F. H.: see Pörschke, D.
Massa, D. J.: Flow Properties of High-Molecular-Weight DNA Solutions: Viscosity, Recoil, and Longest Retardation Time, 1071
Matsumoto, M., Watanabe, H., and Yoshioka, K.: Electric and Hydrodynamic Properties of Polypeptides in Solution. IV. A New Conformational Change of Poly(L-glutamic Acid) in

Dimethylsulfoxide-Methanol Mixtures, 1729
Matsumura, G.: see Nakajima, K.
Matsuoka, M., Norisuye, T., Teramoto, A., and Fujita, H.: Solution Properties of Synthetic Polypeptides. XV. Helix-Coil Transition in Poly(ε-carbobenzyloxy L-Lysine), 1515
Maurer, P. H.: see Zeiger, A. R.
Max, N. L.: Spherical Trigonometry and the Structure of Valinomycin, 1565
McAdam, J. D. G.: see King, T. A.
McMillin, C. R., Rippon, W. B., and Walton, A. G.: Vacuum Ultraviolet Spectroscopy of Poly-α-amino Acids, 589
Milas, M.: see Hanss, M.
Miller, P. S.: see Kan, L. S.
Miller, W. G.: see Rai, J. H.
——: see Rao, S. P.
Milstien, J. B. and Ferretti, J. A.: The Effect of Polydispersity on the Nuclear Magnetic Resonance Spectra of Poly-γ-benzyl-L-glutamate, 2335
Minakata, A. and Kobayashi, S.: Dielectric Properties of Polyelectrolytes. V. Dielectric Dispersion of Heavy Meromyosin, 2623
Minchenkova, L. E.: see Ivanov, V. I.
Misumi, K.: see Norisuye, T.
Mitsui, Y.: Hydration-Dependent α-B Transconformation of Sodium Poly-L-glutamate as Observed by X-Ray Diffraction, 1781
——: see Morikawa, K.
Mohabakrishan, P.: see Chandrasekaran, R.
Mohr, S. C.: see Steenbergen, C., Jr.
Monahan, M. W. and Gilon, C.: A Rapid Method for the Preparation of Amino Acid Resin Esters for Merrifield Solid-Phase Peptide Synthesis, 2513
Mönkehaus, F. and Köhnlein, W.: Single- and Double-Strand Breaks in 5-Bromouracil-Substituted DNA of *B. subtilis* and Phage PBSH after Irradiation with Long-Wave Length UV and Their Correlation to Intramolecular Energy Transfer, 329
Montagnoli, G.: see Pieroni, O.
Moore, D. S. and Wagner, T. E.: Origins of the Differences Between the Circular Dichroism of DNA and RNA: Theoretical Calculations, 201
Morikawa, K., Tsuboi, M., Takahashi, S., Kyogoku, Y., Mitsui, Y., Iitaka, Y., and Thomas, G. J., Jr.: The Vibrational Spectra and Structure of Poly(rA-rU)·Poly(rU), 799
Moroder, L.: see Borin, G.
——, Borin, G., Marchiori, F., and Scoffone, E.: Studies on Cytochrome c. Part I. Synthesis of the Protected Hexadecapeptide (Sequence 1-16) of Baker's Yeast Iso-1-cytochrome c, 477
——, ——, ——, and ——: Studies on Cytochrome c. Part III. Synthesis of the Protected Heneicosapeptide (Sequence 24-44) of Baker's Yeast Iso-1-cytochrome c, 507
——, Marchiori, F., Borin, G., and Scoffone, E.: Studies on Cytochrome c. Part II. Synthesis of the Protected Heptapeptide (Sequence 17-23) of Baker's Yeast Iso-1-cytochrome c, 493
——, ——, ——, and ——: Studies on Cytochrome c. Part VI. Synthesis of the Protected Pentadecapeptide (Sequence 67-81) of Baker's Yeast Iso-1-cytochrome c, 701
——, Borin, G., Marchiori, F. and Scoffone, E.: Studies on Cytochrome c. Part VII. Synthesis of the Protected Undecapeptide (Sequence 82-92) of Baker's Yeast Iso-1-cytochrome c, 721
——, Marchiori, F., Borin, G., and Scoffone, E.: Studies on Cytochrome c. Part VIII. Synthesis or the Protected Hexadecapeptide (Sequence 93-108) of Baker's Yeast Iso-1-cytochrome c, 729
Morosetti, S.: see De Santis, P.
Moscarello, M. A.: see Neumann, A. W.
Nagaoka, S.: see Imanishi, Y.
Nagayama, K. and Wada, A.: On the Double Peak of NMR in the Helix-Coil Transition Region, 2443
Nakajima, A., Fugiwara, T., Hayashi, T., and Kaji, K.: Occurrence of β-Chain Conformation in Poly-γ-methyl Glutamate Membranes, 2681
Nakajima, H.: see Komatsubara, M.
Nakajima, K. and Matsumura, G.: Effect of Temperature on the Induced Cotton Effects of Acid Polysaccharide-Basic Dye Complexes, 2539
Nandi, U. S.: see Pillai, C. K. S.

Nelson, D. J. and Hermans, J., Jr.: Non-Bonded Interatomic Potential Functions and Crystal Structure. Correction of the Functions for Use with Macromolecules and Application to Polypeptide Helixes, 1269
Neumann, A. W., Moscarello, M. A., and Epand, R. M.: The Application of Surface Tension Measurements to the Study of Conformational Transitions in Aqueous Solutions of Poly-L-Lysine, 1945
Neumann, E.: see Revzin, A.
——: see Weisbuch, G.
Nieduszynski, I. A.: see Atkins, E. D. T.
Nitta, K.: see Sugai, S.
Norisuye, T.: see Matsuoka, M.
——, Misumi, K., Teramoto, A., and Fujita, H.: Solution Properties of Synthetic Polypeptides. XVI. Hydrogen Bonding in Helix-Coil Transitions of Poly(β-benzyl L-Aspartate), 1533
Ofengand, J.: see Kallenbach, N. R.
Olafsson, P. G.: see Bryan, A. M.
Olson, W. K.: *Syn-Anti* Effects on the Spatial Configuration of Polynucleotide Chains, 1787
Ostrander, D. A. and Gray, H. B., Jr.: Sedimentation and Intrinsic Viscosity Behavior of PM2 Bacteriophage DNA in Alkaline Solution, 1387
Ovsepyan, A. M.: see Chirgadze, Yu. N.
Pan, Y.-C. E. and Bobst, A. M.: Melting Studies on Spin-Labeled Polyadenylic-Polyuridylic Complexes, 367
Parker, K. D.: see Atkins, E. D. T.
Peacocke, A. R.: see Dalgleish, D. G.
Peeters, H.: see Rosseneu-Motreff, M. Y.
Peggion, E.: see Del Pra, A.
Peticolas, W. L.: see Yu, T.-J.
Pieroni, O., Fissi, A., and Montagnoli, G.: Chiroptical Properties of Unsaturated Peptides, 1445
Pifat, G., Maričič, S., and Grandja, Š.: A Proton Magnetic Relaxation Study of Human Ferrihaemoglobin in Aqueous Salt Solutions, 905
Pilet, J. and Brahms, J.: Investigation of DNA Structural Changes by Infrared Spectroscopy, 387
Pillai, C. K. S. and Nandi, U. S.: Binding of Gold(III) with DNA, 1431
Pispisa, B.: see Ascoli, F.
——: see Barteri, M.
Poland, D.: see Springgate, M. W.
Poletayev, A. I.: see Ivanov, V. I.
Pörschke, D.: see Hoffman, G. W.
——, Uhlenbeck, O. C., and Martin, F. H.: Thermodynamics and Kinetics of the Helix-Coil Transition of Oligomers Containing GC Base Pairs, 1313
Prince, F. R.: see Goodman, M.
Ptak, M.: Conformation of Malformin A: A Proton Magnetic Resonance and Circular Dichroism Study, 1575
Rai, J. H. and Miller, W. G.: Electrostatic Interactions in Polyglutamic Acid, 845
Ramachandran, G. N.: see Chandrasekaran, R.
Rao, S. P. and Miller, W. G.: Effect of Residual Side Chain Blocking Groups and Side Chain Charge on Polypeptide Conformation in Aqueous Solution, 835
Ratliff, R. L.: see Gray, D. M.
Reibel, L., Spach, G., and Dufour, C.: Etude Physicochimique des Copolymères Triséquencés Poly(γ-L-glutamate de benzyle)/Poly(oxyéthylène/Poly(γ-L-glutamate de benzyle). Rôle de la Polydispersité dans la Determination de la Conformation des Molécules en Solution Diluée, 2391
Revzin, A., Neumann, E., and Katchalsky, A.: Metastable Secondary Structures in Ribosomal RNA: A New Method for Analyzing the Titration Behavior of rRNA, 2853
Rhodes, W.: see Tterlikkis, L.
Richard, A. J.: see Chun, P. W.
Richard, H., Schreiber, J. P. and Daune, M.: Interactions of Metallic Ions with DNA. V. DNA Renaturation Mechanism in the Presence of Cu^{2+}, 1
Rinaudo, M.: see Hanss, M.
—— and Domard, A.: Etude Potentiometrique de l'α-Poly(acide-L-glutamique) et de ses Oligomères. II, 2211
——, Domard, A., and Spach, G.: Synthèses et Caractérisation des Trois Premiers Oligomeres de l'Acide α-L-Glutamique. I. 2199
Rippon, W. B.: see Gelman, R. A.
——: see McMillin, C. R.
Rosseneu-Motreff, M. Y., Soetewey, F., Lamonte, R., and Peeter, H.: Dielec-

tric Study of the Urea Denaturation of Delipidated and Relipidated Bovin Serum Albumin, 1259
Rotem, H.: see Tal, M.
Roux, B.: see Hanss, M.
Sakato, K.: see Utiyama, H.
Salhany, J. M.: Isokinetic Relationships for the Effect of Inorganic Phosphate and Protons on the Deoxygenation Rate of Human Hemoglobin, 2279
Sarko, A.: see Zugenmaier, P.
—— and Fischer, C.: Far Ultraviolet Optical Activity of Saccharide Derivatives. III. Amylose Triacetate in the Solid State, 2189
Saroff, H. A.: Action of Hemoglobin. The Energy of Interaction, 599
Sass, R. and Thiemann, W.: Hydrolysis of Poly-L-lysine by Pronase, 535
Sato, T.: see Stellman, S. D.
Sato, Y.: see Hatano, M.
Savino, M.: see De Santis, P.
Scheinberg, I. H.: see Eisenstadt, M.
Schellman, J. A. and Lifson, S.: Conformational Analysis of Substituted Pyrrolidones, 315
Scheraga, H. A.: see Burgess, A. W.
Schleich, T.: see Cross, B. P.
——: see Lerner, D. A.
—— and Yeh, Y.: The Solution Behavior of Poly-L-Proline: I. Light Scattering Studies in Water and Concentrated Aqueous Neutral Salt Solutions, 993
Schmidt, R. L.: Observation of the Internal Motion in Nl-DNA, 1427
Schmitz, K. S.: see Schurr, J. M.
—— and Schurr, J. M.: Rotational Relaxation of Macromolecules Determined by Dynamic Light Scattering. II. Temperature Dependence for DNA, 1543
Schrag, J. L.: see Warren, T. C.
Schreiber, J. P.: see Richard, H.
Schumaker, V. N. and Zimm, B. H.: Anomalies in Sedimentation. II. Testing the Entanglement Hypothesis, 869
—— and ——: Anomalies in Sedimentation. III. A Model for the Inherent Instability of Solutions of Very Large Particles in High Centrifugal Fields, 877
Schurr, J. M.: see Schmitz, K. S.
—— and Schmitz, K. S.: Rotational Relaxation of Macromolecules Determined by Dynamic Light Scattering. I. Tobacco Mosaic Virus, 1021
Schweitzer, J. and Jennings, B. R.: Electro-Optic Decay Analysis for Polydisperse Systems. II. Discrete Averaging for Rods, 2439
Shlyakhtenko, L. S.: see Usatyi, A. F.
Schyolkina, A. K.: see Ivanov, V. I.
Scoffone, E.: see Borin, G.
——: see Moroder, L.
Segawa, S.-I., Husimi, Y., and Wada, A.: Kinetics of Thermal Unfolding of Lysozyme, 2521
Segrest, J. P. and Cunningham, L. W.: Unit Fibril Models Derived from the Molecular Topography of Collagen, 825
Senior, M. B. and Hamori, E.: Investigation of the Effect of Amylose/Iodine Complexation on the Conformation of Amylose in Aqueous Solution, 65
Setsuiye, T.: see Utiyama, H.
Shaikh, R.: see Balasubramanian, D.
Shamos, M. H.: see Tomaselli, V. P.
Shestopalov, B. V.: see Chirgadze, Yu. N.
Shiao, D. D. F. and Sturtevant, J. M.: Heats of Thermally Induced Helix-Coil Transitions of DNA in Aqueous Solution, 1829
Shin, Y. A.: Interaction of Metal Ions with Polynucleotides and Related Compounds. XXII. Effect of Divalent Metal Ions on the Conformational Changes of Polyribonucleotides, 2459
Siddiqui, M. A. Q.: see Kallenbach, N. R.
Simionescu, Cr., Dénes, F., and Macoveanu, M.: Synthesis of Some Amino Acids, Sugars, and Peptides in Cold Plasma. Electron-Microscopic Studies on Some Proteid Forms (III), 237
Singh, R. D.: see Gupta, V. D.
Sisido, M., Imanishi, Y., and Higashimura, T.: Intrachain Hydrolysis in Sarcosine-γ-*p*-Nitrophenyl-L-Glutamate Copolymers, 163
——, ——, and ——: Nuclear Magnetic Resonance Study on the Model Compounds for Poly(*N*-alkylglycine)s, 2375
Slegers, H. and Fiers, W.: Studies on the Bacteriophage MS2. XXII. Con-

formation of MS2 RNA in Acid Medium, 2007
—— and ——: Studies on the Bacteriophage MS2. XXIII. Fixation of the MS2 RNA Acid Structure by Formaldehyde, 2023
——, Clauwaert, J., and Fiers, W.: Studies on the Bacteriophage MS2. XXIV. Hydrodynamic Properties of the Native and Acid MS2 RNA Structures, 2033
Small, E. W., Craig, A. M., and Isenberg, I.: Histone IV Binding of 3,4-Benzpyrene, Pyrene, Anthracene and 9-Methylanthracene, 1149
Smith, J. C. and Woody, R. W.: Optical and Other Properties of a Hydrocarbon-Soluble Polypeptide, Poly-γ-(*n*-dodecyl)-L-glutamate, 2657
Smith, I. C. P.: see Govil, G.
Smolko, E. E.: see Atkins, E. D. T.
Snart, R. S.: The Electrical Properties and Stability of DNA to UV Radiation and Aromatic Hydrocarbons, 1493
Snyder, P. A., Vipond, P. M., and Johnson, W. C., Jr.: Circular Dichroism of the Alkyl Amino Acids in the Vacuum Ultraviolet, 975
Soetewey, F.: see Rosseneu-Motreff, M. Y.
Sommer, R. G.: see Janik, B.
South, G. P. and Grant, E. H.: The Contribution of Proton Fluctuation to Dielectric Relaxation in Protein Solutions, 1937
Spach, G.: see Reibel, L.
——: see Rinaudo, M.
Spadon, P.: see Del Pra, A.
Springgate, M. W. and Poland, D.: Cooperative and Thermodynamic Parameters for Oligoinosinate-Polycytidylate Complexes, 2241
Steenbergen, C., Jr., and Mohr, S. C.: A Temperature-Jump Kinetic Study of the Binding of Proflavine to Poly I·Poly C, 791
Stellman, S. D., Hingerty, B., Broyde, S. B., Subramanian, E., Sato, T., and Langridge, R.: Structure of Guanosine-3′,5′-cytidine Monophosphate. I. Semi-empirical Potential Energy Calculations and Model-Building, 2731
Stevens, C. L.: see Chay, T. R.
Stivala, S. S.: see Lages, B.
——, Yadlowsky, S., and Yuan, L.: Kinetics of the Acid Hydrolysis of Heparin from Its Cu(II) Complex and Its Relation to Biological Activity, 947
Strickland, E. H. and Billups, C. Oscillator Strengths of the ^1L_a and ^1L_b Adsorption Bands of Tryptophan and Several Other Indoles, 1989
Sturm, J.: see Clement, R. M.
Sturtevant, J. M.: see Shiao, D. D. F.
Subramanian, E.: see Stellman, S. D.
Suezaki, Y.: see Gō, N.
Sugai, S. and Nitta, K.: Surface Electric Potential on Rod-Like Polyelectrolyte, 1363
Sugihara, T.: see Imanishi, Y.
——, Imanishi, Y., and Higashimura, T.: Studies on Cyclic Peptides. I. Cyclodisarcosyl- Metal Salts Complexes, 2823
Sundaralingam, M.: see Yathindra, N.
Suwalsky, M. and de la Hoz, L.: An X-Ray Diffraction Study of Poly-L-Ornithine Hydrobromide, 1997
Suzuki, K.: see Komatsubara, M.
Suzucki, K.: see Imanishi, Y.
Takahashi, S.: see Morikawa, K.
Takashima, S.: Study of Dielectric Behavior of DNA in Shear Gradient, 145
Tal, M., Rotem, H., Alfasi, M., and Berg, R. A.: The Effect of Acridine Orange on the Structure of Ribosomes, 173
Tam, J. W. O. and Klotz, I. M.: On the Assignment of α-CH Peaks in the Nuclear Magnetic Resonance Spectra of Polypeptides, 2435
Tauke, R.: see Kopple, K. D.
Teboul, M.: see Vasilescu, D.
Temussi, P. A.: see Ferrara, L.
Teramoto, A.: see Matsuoka, M.
——: see Norisuye, T.
Thiemann, W.: see Sass, R.
Thomas, G. J., Jr.: see Morikawa, K.
Tiffany, M. L. and Krimm, S.: Extended Conformations of Polypeptides and Proteins in Urea and Guanidine Hydrochloride, 575
Tomaselli, V. P. and Shamos, M. H.: Electrical Properties of Hydrated Collagen. I. Dielectric Properties, 353
Tonelli, A. E. and Brewster, A. I. R.: The Conformation Characteristics in Solution of the Synthetic Cyclic Hexapeptide 5L-ala·D-ala, 193

Ts'o, P. O. P.: see Kan, L. S.
Tsuboi, M.: see Morikawa, K.
Tterlikkis, L., Loxsom, F. M., and Rhodes, W.: Theoretical Optical Properties of Poly-L-Proline, 675
Ueyama, N.: see Goodman, M.
Uhlenbeck, O. C.: see Pörschke, D.
Usatyi, A. F. and Shlyakhtenko, L. S.: Temperature Dependence of CD Spectra of DNA from Various Sources, 45
Utiyama, H., Sakato, K., Ikehara, K., Setsuiye, T., and Kurata, M.: Flexibility of Tropocollagen from Sedimentation and Viscosity, 53
Valle, G.: see Del Pra, A.
Van Der Touw, F., Briedé, J. W. H., and Mandel, M.: Electric Permittivity of Alfalfa Mosaic Virus in Aqueous Solutions, 111
Vasilescu, D., Teboul, M., Kranck, H., and Camous, B.: Showing up the Thermal Transconformation of Na-DNA in Solution by Noise Spectrography, 341
Veis, A.: see Yuan, L.
Venyaminov, S. Yu.: see Chirgadze, Yu. N.
Vipond, P. M.: see Snyder, P. A.
von der Haar, A. M. F.: see Maelicke, A.
Vournakis, J.: see Hocker, L.
Wada, A.: see Nagayama, K.
——: see Segawa, S.-I.
Wada, Y.: see Komatsubara, M.
Wagner, T. E.: see Moore, D. S.
Wall, J. S. and Beckwith, A. C.: Interpretation of the Solubilities of Mixtures of β-Lactoglobulins A and B, 931
Walton, A. G.: see Hiltner, W. A.
——: see McMillin, C. R.
Warren, T. C., Schrag, J. L., and Ferry, J. D.: Infinite-Dilution Viscoelastic Properties of Poly-γ-benzyl-L-glutamate in Helicogenic Solvents, 1905
Watanabe, H.: see Matsumoto, M.
Wei, S. C.: see Fung, B. M.
Weisbuch, G. and Neumann, E.: Molecular Field Theory of Hysteresis in Helix-Coil Transitions of Polynucleotides, 1479
Weiss, G. H.: see Johnson, M.
—— and Dishon, M.: Elution Properties of Inhomogeneous Chromatographic Systems, 2631
Weissbach, H.: see Boublik, M.
Wells, J. D.: Thermodynamics of Polyelectrolyte Solutions. An Empirical Extension of the Manning Theory to Finite Salt Concentrations, 223
Wetmur, J. G.: see Lee, C. H.
Wiley, G. R.: see Kopple, K. D.
Williams, D. L.: see Gray, D. M.
Williams, F. D. and Brown, R. D.: The Rate of γ-Benzyl-L-Glutamate NCA Polymerizations, 647
Woody, R. W.: see Smith, J. C.
Wu, T. T.: see Kabat, E. A.
Yadlowsky, S.: see Stivala, S. S.
Yathindra, N. and Sundaralingam, M.: Correlation Between the Backbone and Side Chain Conformations in 5′-Nucleotides. The Concept of a 'Rigid' Nucleotide Conformation, 297
—— and ——: Conformational Studies on Guanosine Nucleotides and Polynucleotides. The Effect of the Base on the Glycosyl and Backbone Conformations, 2075
—— and ——: Conformational Studies on Pyrimidine 5′-Monophosphates and 3,5′-Diphosphates. Effect of the Phosphate Groups on the Backbone Conformation of Polynucleotides, 2261
Yeh, Y.: see Schleich, T.
Yellin, W.: see Anderson, R. L.
Yoneyama, M.: see Hatano, M.
Yphantis, D. A.: see Johnson, M.
Yoshioka, K.: see Kikuchi, K.
——: see Matsumoto, M.
Yu, S. S. and Jei Li, H.: Helix-Coil Transition and Conformational Studies of Protamine-DNA Complexes, 2777
Yu, T.-J., Lippert, J. L., and Peticolas, W. L.: Laser Raman Studies of Conformational Variations of Poly-L-lysine, 2161
Yuan, L.: see Stivala, S. S.
—— and Veis, A.: The Self-Assembly of Collagen Molecules, 1437
Zana, R. and Lang, J.: Ultrasonic Absorption Studies of Poly-Benzyl-L-Aspartate in Mixed Solvents, in Relation to the Helix-Coil Transition, 79
Zeiger, A. R., Lange, A., and Maurer, P. H.: Synthesis of Two Sequential Polypeptides by Dispersion in Benzene and Their Circular Dichroism Spectra in Aqueous Solution: Poly(L-Glu-L-

Lys-L-Ala-Gly) and Poly(L-Ala-D-Glu-L-Lys-D-Ala-Gly), 2135
Zil, J. S. V.: see Almassy, R.
Zimm, B. H.: see Goldstein, B.
——: see Schumaker, V. N.
Zugenmaier, P. and Sarko, A.: Packing Analysis of Carbohydrates and Polysaccharides. II. B-Amylose, 435

SUBJECT INDEX, VOLUME 12

Aggregation in solution, theory of, 1285
Aggregation of *E. coli* ribosomes, 1677
Alamethicin, conformational studies, 2691
Alfalfa mosaic virus, electric permittivity of, 111
Amides, depolarized light scattering studies of, 1123
  Kerr constants of, 1137
  interaction with Li^+ Salts, 1639
Amino acids, CD of, 975
  far uv studies, 1353
Amylose, complexes with iodine, viscosity measurements, 65
  hydrodynamic properties in DMSO, 1177
B-Amylose, packing analysis, 435
Amylose triacetate, ORD and CD studies, 2189
Aromatic hydrocarbones, protection of DNA and uv irradiation, 1493
Acridine orange, binding to ribosomes, 173
  complex with poly(Glu), 895
Adenosine 3′,5′-cyclic monophosphate, complex with poly U, 373
Absorption of DNA in mercury electrolyte interface, 1975
Absorption of globular proteins, 1671
Absorption spectra studies, of poly (Glu)–acridine orange, 895
  of poly (Lys)–methyl orange, 2423
Accurate binding analysis, for oxygenation of hemoglobin, 2057

Baker's yeast Iso-1-cytochrome C, partial synthesis, 477, 493, 507, 693, 701, 721, 729
Band sedimentation of macromolecules, 1853
γ-Benzyl-L-glutamate NCA, rate of polymerization, 647
Bromouracil-DNA, uv irradiation, 329
Buoyant density studies, of ionizable homopolypeptides, 2713

Caffeine, electronic spectral studies, 1459
Calorimetric studies, of 3′,5′-cyclic nucleotides, 229
  of denaturation of DNA, 1829
  of polyU-3′,5′-cyclic AMP, 373
  of thymine, 1815
Carboxymethylcellulose, electro-optical properties, 1747
Catalytic reaction rates, contribution of proximity and orientation, 1689
Cation binding sites, of heparin, 127
Chemical relaxation of cooperative binding to polymers, 1633
Chiroptical properties: see also CD, Ord, etc.
  of unsaturated peptides, 1445
Chondroitin-6-sulfate, interaction with poly(Arg), 1223
  CD of complexes with poly (Lys), 541
Chrondoitin sulfate C, CD of complexes with poly(Lys), 541
Chromatographic systems, in homogeneous elution properties, 2631
Circular dichroism computation, of alkyl amino acids, 975
  of cyclo (Pro-Gly)$_3$, 1837
Circular dichroism studies: see also chiroptical properties
  in the far uv, 975
  of alkyl amino acids, 975
  of amylose triacetate, 2189
  of blocked poly(Lys) and poly (Glu), 835
  of cation binding to DNA, 405
  of chrondroitin-6-sulfate/poly(Lys) complexes, 541
  of copper (II)-gramicidin S, 423
  of DNA, 45
  of DNA-dye complexes, 1099
  of DNA-$(Co(en)_3)^{3+}$ complex, 2431
  of DNA and RNA, 201
  of histone-aromatic hydrocarbon complexes, 1149
  of interaction between chondroitin-6-sulfate and poly (Arg), 1223
  of malformin A, 1575
  of nitrobenzylated poly(Glu), 121
  of nucleic acids, 89
  of oligopeptides, 2359
  of oriented collagen, 655

of polyd(AAT):d(ATT), 1233
of polyr(AAU):r(AUU), 1233
of poly(Ala-D-Glu-Lys-D-Ala-Gly), 2135
of poly dAT, 1
of poly(*S*-carboxy ethyl cysteine), 2121
of polydG.dC, 1
of poly (Glu), 1089
of poly (Glu)-acridine orange, 895
of poly (Glu-Lys-Ala-Gly), 2135
of poly(Lys), 1945
of poly(Lys) in isopropanol-water, 2309
of poly(Lys)-methyl orange, 2423
of polypeptides with aromatic side-chains, 2831
of polypeptide-polysaccharide system, 1959
of polypeptides and proteins, 575
of poly(Pro), 655, 675
of polysaccharide-basic dye complexes, 2539
of polyu-M^6M^9 A complex, 1611
of proflurine-DNA, 445
of proflarine-Deoxyribonucleohistone, 445
of renaturation of DNA, 1
of ribosomal proteins, 2083
^{13}C NMR studies, of helix-coil transition in polyU, 2589
Collagen, conductivity mechanism, 2289
hydrated, dielectric proporties, 353
hydratian, 2303
light scattering studies of ion effect on, 1063
morphology, 2045
NMR of D_2O in fibers, 2329
NMR studies of alkali effect on, 1053
orientation, 2751
packing models, 825
physicomechanical properties, 2045
self-assembly of, 1437
uv, CD and linear dichroism studies, 655
β-Coil transition of poly(*S*-Carboxyethyl cysteine), 2121
Conformational analysis, of alkyl amino acids, 975, of dipeptides, 2177
Conformational changes of polyribonucleotides, 2459
Conformational energy calculations; see also semi-empirical energy calculations
of B-Amylose, 435
of poly(Glu), 845
of poly(Glu-Ala), 157
of polypeptides in intense electric fields, 817
of substituted pyrrolidones, 315
Conformational studies, of alamethicin, 2691
of amylose/iodine complexes, 65
of block copolymers containing poly-(Glu(OBzl)), 2391
of collagen, 655
of copper(II)-gramicidin S, 423
of cyclic 5L-Ala-D-Ala, 193
of cyclouridine, 2381
of dideoxynucleoside ethyl phosphotriesters, 2225
of malformin A, 1575
of nucleic acids, 89
of 5′-nucleotides, 297
of nucleotides and polynucleotides, 2261
of peptides, 627
of poly(Ala), 611
of poly(*N*-alkylglycine) model compounds, 2375
of poly-α-amino acids, 589
of poly-(1-benzyl)-histidine, 937
of poly-*N*-γ-CBz-L-α,γ-diaminobutyric acid, 941
of poly(Glu) with acridine orange, 895
of poly(Glu) and oligo (Glu), 2211
of poly(Glu), 685
of poly(Glu) and polypeptides from Anthrax and *subtilis*, 1089
of poly[Glu(OMe)]membranes, 2681
of poly(Lys), 2671
of poly(Lys) in isopropanol-water, 2309
of blocked poly(Lys) and poly(Glu), 835
of poly-N^δ-CBz-ornithine, 941
of polypeptides and proteins, 575
of poly(Pro), 655, 675
of collagen, 655
of Proflavine-Deoxyribonucleohistone, 445
of Proflavine-DNA, 445
of protamine-DNA, 2779
of proteins, 751
of purine nucleosides, 243
of sequential copolypeptides, 921
of simple peptides from vibrational spectra, 1763
of sperm-whale myoglobin, 637
Copolymers, block containing poly(Glu-(OBzl)), 2391
Copolypeptides, far-infrared studies, 921
Copper ion, binding to heparin and human fibrinogen, 961
Copper II, DNA renaturation, 1

Copper(II)-heparin complex, acid hydrolysis, 947
biological activity, 947
Cyclic 5L-Ala-D-Ala, NMR, 193
Cyclic (3′,5′) AMP, complex with poly U, 373
Cyclic dipeptides. semiempirical energy calculations, 1421
Cyclic nucleotides (3′,5′), calorimetric studies, 229
Cyclodisarcosine, metal salt complexes, 2825
Cyclo (Pro-Gly)$_3$, CD computation, 1837
conformational energy and CD computation, 1837
Cyclouridine, NMR, 2381
Cytochrome C, partial synthesis, 477, 493, 507, 521, 693, 701, 721, 729

DNA, absorption in mercury-electrolyte interface, 1975
acid condensation, 1171
binding of gold (III), 1431
binding of Mg^{2+} and Mn^{2+}, 405
bromouracil-substituted, 329
CD of complex with $(Co(en)_3)^{3+}$, 2431
CD studies, 1, 89, 201
complex with proflavine, 445
dielectric properties, 145
effect of uv on thermal denaturation, 1493
electrical properties and stability, 1493
electro-optical studies, 2151
electrostatic potential theory, 559
helix-coil transition, 45
high molecular weight, flow properties, 1071
interaction with metallic ions, 1
inverse problem, 1591
ir studies, 387
kinetic studies, 1
melting, 1591
PM2 bacteriophage, sedimentation and viscosity, 1387
proflavine, dielectric relaxation of, 1074
protamine complex, 2777
renaturation in presence of Cu^{2+}, 1
rotational relaxation of, 1543
sedimentation studies, 869
sedimentation theory, 857, 877
superhelices, statistical-mechanical model for equilibrium behavior, 11
temperature dependence of circular dichroism, 45
thermal denaturation, 1829
DNA-dye complexes, CD studies, 1099
f_d-DNA, ultracentrifugal field relaxation, 1931
Deoxygenation, of hemoglobin, 2279
Deoxyribonucliohistone, complex with proflavine, 445
Dideoxynucleosides, ethyl phosphotriesters, NMR, 2225
Dielectric absorption measurements, of block copolymers containing poly (Glu(OBzl)), 2391
Dielectric dispersion of meromyosin, 2623
Dielectric properties, of DNA in a shear gradient, 145
Dielectric properties, of hydrated collagen, 353
Dielectric relaxation studies, of DNA-proflavine complex, 1047
of proteins, 1937
of serum albumin, 1259
Dielectrophoresis of macromolecules, 2491
Dipeptides, conformational analysis, 2177
Dipeptides, depolarized light scattering, 1651
ir studies, 2185
laser Raman spectroscopy, 1651
Dispersion curves of poly(Pro), 1377
Dissociation of *E. coli* ribosomes, 1677
Double peak, in nmr studies of helix-coil transition, 2443

E. coli ribosomes, self-aggregation and dissociation, 1677
Electrical conductivity, of hydrated collagen, 2289, 2303
Electric birefringence studies, of amides and peptides, 1137
Electric birefringence studies, of CMC, 1744
of poly (Glu), 1729
of poly(Lys), 2667
Electric permittivity studies, of alfalfa mosaic virus, 111
Electric potential, of polyelectrolytes, 1363
Electronic spectral studies: see also uv dichroism, etc.
of caffeine, 1459
Electron-microscopic studies, of proteid forms from prebiotic synthesis experiments, 237
Electron spin resonance studies, of spin-labeled poly A.poly U, 367

Electro-optical studies, of T4B bacteriophage, 2607
Electro-optical properties, of CMC, 1744
Electro-optical studies, of DNA, 2151
Electro-optic decay analysis, for polydisperse systems, 2439
Electrophoretic light scattering as a probe of reaction kinetics, 1161
Electrostatic potential theory, DNA model, 559
Electroviscous effect, of lysozyme, 1741
Elution properties of inhomogeneous chromatographic systems, 2631
Equilibrium-dialysis studies, or heparin with Cu^{2+} and Ca^{2+}, 127
of poly U-3′,5′-cyclic AMP-, 373
Equilibrium theory for conformational changes in + RNA, 1713
Extrinsic Cotton effects, of nitrobenzylated poly(Glu), 121

Far ir studies: see also ir studies
of homopolypeptides, 2759
of sequential copolypeptides, 921
of sperm-whale myoglobin, 637
Far uv: see UV studies
First neighbor approximations of poly d(AAT): d(AAT), 1233
of poly r (AAU): r(AUU), 1233
Fluorescence depolarization, of poly(Pro), 1011
Fluorescence studies, of oligonucleotides from phenylalanine tRNA, 27
of histone aromatic hydrocarbon complexes, 1149

Globular proteins, absorption of, 1671
Gramicidin S, complex with Cu(II), 423
Guanasine-3′,5′-cytidine monophosphate, 2731

Heat of interaction, of amides with Li^+ salts, 1639
α-Helical amino acid residue, obligatory, 2599
Helix-coil transition, hysteresis in polynucleotides, 1479
nmr studies, 2443
of DNA, 45
of Na-DNA, 341
of nucleoprotein, 287
of oligonucleotides, 2093
of oligonucleotides containing GC pairs, 1313
of poly (Ala), 611
of poly(Asp(OBzl)), 79, 1533
of Poly(Glu), 685, 1729
of poly(Glu) acridine orange, 895
of poly(Glu(OBzl)), 1451, 2335
of poly(Lys), 2667
of poly(Lys) in isopropanol-water, 2309
in poly(Lys(Z)), 1515
of polypeptides in intense electric fields, 817
of poly(Pro-Pro-Gly), 1927
of poly(U), 2599
of poly U-M^6M^9A, double helix, 1611
of protamine-DNA, 2777
thermally induced of DNA, 1829
α-Helix structure, in proteins, 751
Hemoglobin, calculation of energy of interaction, 599
Hemoglobin, oxygen binding, 2057
protein magnetic relaxation studies, 905
thermodynamics of deoxygenation, 2279
Heparin, binding of Cu(II) to, 961
binding of Cu^{2+} and Ca^{2+}, 127
equilibrium dialysis studies, 127
Cu(II) complex acid hydrolysis, 947
Cu(II) complex, biological activity, 947
Histone-aromatic hydrocarbons complexes, spectroscopic properties of, 1149
Homopolypeptides, far ir, 2759
Hydratian, of collagen, 2289, 2303
of stratum corneum, 2789
Hydrodynamic properties: see also sedimentation, viscosity, etc.
of amylose in DMSO, 1177
of collagen, 1437
of poly(Glu), 1729
of MS2 RNA, 2033
Hydrogen bonding in helix-coil transition of poly(Asp(OBzl)), 1533
Hydrolysis, intrachain, of poly(Sar, *p*NPGlu), 163
Hysteresis in helix-coil transition of polynucleotides, 1479

Infrared dichroism studies, of DNA, 387
IR studies: see also vibrational spectra
of amides-Li^+ complexes, 1639
of dipeptides, 2185

of DNA, 387
of *N*-methylacetamide, 611
of poly(Ala), 611
of poly r(AU):poly r(AU), 799
of poly(Cys(OAc)), 1337
of poly(Glu(OBzl)), 1203
of poly-L-guluronic acid, 1879
of poly-D-mannuronic acid, 1865
of polypeptides, β- and random forms, 1337

Kerr constants, of amides and peptides, 1137
Kerr effect, of CMC, 1747
Kinetic studies, of order transition in polypeptides, 2563
of renaturation of DNA, 1
of unzippering of polynucleotides, 2563

β-Lactoglobulin A and B, solubilities of mixtures, 931
Laser raman spectroscopy of dipeptides, 1651
Laser raman studies, of poly(Lys), 2161
Light scattering, depolarized, of amides and peptides, 1123
depolarized, of dipeptides, 1651
electrophoretic, as a probe of reaction kinetics, 1161
instrument, 1021
Light scattering studies, of amylose in DMSO, 1177
of block copolymers containing poly-(Glu(OBzl)), 2391
of collagen, 1063
of DNA, 1543
of N1-DNA, 1427
of poly(Pro), 993
of MS2 RNA, 2033
of tobacco mosaic virus, 1021, 1917
Linear dichroism studies, of poly(Pro), 655
of oriented collagen, 655
Longest retardation time measurements of HMW DNA, 1071
Lysozyme, electroviscous effect, 1741
thermal unfolding, 2521

Macromolecules, dielectrophoresis, 2491
Malformin A, conformation by nmr and CD studies, 1575
Melting of chondroitin-6-sulfate (poly-(Lys) complexes, 541
of DNA, 1, 45
of poly A·Poly U, 367
of poly(A-2U) triple helix, 461
of poly dAT, 1
of polyd(G·C), 1
Melting studies of polynucleotides, 775
Merrifield amino acid resins, preparation, 2513
Meromysin, dielectric dispersion, 2623
Methyl orange complex with poly(Lys), 2423
Molecular field theory of hysteresis in helix coil transition, 1479
Mosaic virus, alfalfa, electric permittivity of, 111
MS_2 RNA, hydrodynamic properties, 2033
sedimentation and uv studies, 2007
Myoglobin, from sperm-whale, far ir studies, 637

N1-DNA, internal motion in, 1427
Noise spectrography studies, of Na-DNA, 341
Nuclear magnetic resonance studies, of cyclic 5L-Ala-D-Ala, 193
of cyclouridine, 2381
of D_2O in collagen fibers, 2329
of dideoxynucleoside ethyl phosphotriesters, 2225
of helix-coil transition, 2443
of helix-coil transition in poly(Glu-(OBzl)), 1451
of hydrated collagen, 1053
of malformin A, 1575
of peptide bond protonation, 2639
of peptides, 627
of poly(Glu(OBzl), 2335
of poly(*N*-alkylglycine) model compounds, 2375
of Poly(*N*-Me Ala), 2549
of polypeptides, 2435
of trinucleoside diphosphates, 2409
Nucleic acids, CD studies, 89
Nucleosides, theory of aggregation, 1285
Nucleotides conformation, 2261
semiempirical energy calculations, 2075
5′-Nucleotides conformational studies, 297

Obligatory α-helical amino acid residue, 2599
Oligo(Glu), conformational studies, 2211
potentiometric studies, 2211
synthesis, 2199

Oligonucleotides, containing GC pairs, helix-coil transition, 1313
effects of single-strand stacking on stability, 2093
from Phenylalanine tRNA, spectroscopic studies, 27
Oligopeptides CD and ORD, 2359
Optical mixing spectroscopy, 1677
Optical properties of poly-γ-(*n*-dodecyl)-L-glutamate, 2661
ORD studies, of amylose triacetate, 2189
of nitrobenzylated poly(Glu), 121
of oligopeptides, 2359
of Poly(Glu), 1089
of poly(D-Glu), 1083
of polypeptides with aromatic side-chains, 2833
of poly U-3′,5′-cyclic AMP, 373
Optical studies of collagen, 2755

Packing models for collagen, 825
Partial volumes of proteins, 2351
Peptide bond protonation, nmr studies, 2639
Peptides, light scattering studies, 1123
Kerr constants of, 1137
vibrational spectra of, 1763
Phenylalanine NCA, catalysis of polymerization by poly(2-vinyl-pyridine), 181
DL-Phenylalanine NCA, polymerization by poly(Phe)m(Sar)n), 1505
Phenylalanine NCA'S, polymerization of poly(Ala(N-Me), 2643
pH titration of polyelectrolytes, 1375
Polarography studies of poly U, 2803
Poly(Ala), ir in TFA-$CHCl_3$ mixtures, 611
Poly(Ala-D-Glu-Lys-D-Ala-Gly), synthesis and CD studies, 2135
Poly(Ala(*N*-Me), polymerization of phenylalanine NCA, 2643
Poly(*N*-alkylglycine)s model compounds, 2375
Poly-α-amino acids, vacuum uv studies, 589
Poly A. poly U, spin-labeled, esr studies, 367
Poly(A) 2 poly(U), pH titration, 1479
triple helix meltings theory, 461
Poly(Arg), CD studies of interaction with chondroitin-6-sulfate, 1223
Poly(Arg)-polysaccharide system, CD studies of, 1959
Poly(Asp(OBzl), helix-coil transition from ultrasonic absorption studies, 79
Poly(Asp(OBzl)S, helix-coil transition, 1533
Poly(A-U). poly(A-U), ir and Raman studies, 799
Poly(1-benzyl)-histidine conformation by x-ray, 937
Poly(*S*-carboxyethyl cysteine) β-coil transition, 2121
Poly-N^{γ}-CBz-L-α,γ-diammobutyric acid conformation, 941
Poly-N^{γ}-CBz-ornithine conformation, 941
Poly C. oligo I thermodynamics, 2241
Poly(Cys(OAc) ir studies, 1337
Poly d(AAT):d(ATT), CD studies, 1233
Poly dA. T, CD studies, 1
kinetic studies, 1
melting of, 1
Poly dG. dC, circular dichroism studies, 1
kinetic studies, 1
melting of, 1
Polydisperse systems, electro-optic decay analysis, 2439
Poly-γ-(*n*-dodecyl)-L-glutamate optical properties, 2661
Polyelectrolyte, surface electric potential on, 1363
Polyelectrolyte theory, 1705
at finite salt concentrations, 223
Poly(Glu), CD and ORD of nitrobenzylated derivative, 121
conformational comparison with anthrax and *subtilis* polypeptides, 1089
conformational studies, 2211
conformational studies in DMSO-methanol mixtures, 1725
conformation with acridine orange, 895
effect of blocking groups on conformation, 835
electrostatic interactions; 845
ORD and CD studies, 1089
potentiometric studies, 2211
surface electric potential on, 1363
Poly(D-Glu), ORD studies, 1083
Poly(Glu-Ala), conformational analysis, 157
Poly(Glu-Lys-Ala-Gly), synthesis and CD studies, 2135
Poly(Glu(Na^+)), transconformation by x-ray diffraction, 1781
Poly(Glu(OBzl)), effect of polydispersity on nmr, 2335

viscoelastic properties in helicogenic solvents, 1905
viscosity and ir measurements, 1203
Poly(Glu(OMe)) membranes, 2681
Poly-L-guluronic acid, x-ray diffraction, 1879
polarized ir studies, 1879
Poly I.poly C proflavine binding, 791
Poly(Lys), CD of complexes with chondroitin-6-sulfate, 541
CD of methyl orange complex, 2423
conformational studies, 2667
effect of blocking groups on conformation, 835
in isopropanol-water, 2309
ir studies, 1337
laser Raman studies, 2161
polysaccharide system, CD studies of, 1959
pronase hydrolysis, 535
surface tension measurements, 1945
Poly(Lys(Z)), helix-coil transition, 1515
solution properties, 1515
Poly-D-mannuronic Acid, polarized ir studies, 1865
x-ray diffraction, 1865
Poly(*N*-Me Ala), nmr studies, 2549
Polymerization, of γ-benzyl-L-glutamate NCA, 647
of phenylalanine NCA, 181
of DL-phenylalanine NCA by poly-((Phe)$_m$(Sar)$_m$), 1505
Polymer-monomer system, pressure-dependent sedimentation, 2477
Poly(methacrylic acid), surface potential on, 1363
Polynucleotides, conformation, 2261
dependence of T_m on oligomer length, 775
hysteresis in helix-coil transition, 1479
kinetics of unzippering, 2563
semiempirical energy calculations, 2075
spatial configuration, 1787
stoichiometric and thermodynamic studies on homopolymer copolymer system, 1889
thermodynamics of complementary monomer and oligomer binding, 257
Poly(Orn(HBr)), x-ray diffraction studies, 1997
Poly(Orn)-polysaccharide system, CD studies of, 1959
Polypeptide helixes, correction of interatomic potential functions, 1269
CD of urea and guanidine hydrochloride solutions, 575
from anthrax and *subtilis*, conformational studies, 1089
influence of torsional rotation about the peptide bond on conformation, 1197
ionizable, 2712
ir of β- and random forms, 1337
kinetics of order-order transition, 2563
nmr, 2435
with aromatic sidechains, CD and ORD, 2831
Poly(PrO), calculated CD and uv spectra, 675
fluorescence depolarization, 1011
light scattering studies, 993
uv, CD and linear dichroism studies, 655
vibrational spectra and dispersion curves, 1377
Poly(Pro-Pro-Gly) helix-coil transition, 1927
Poly r(AAU):r(AUU), CD studies, 1233
Polyribonucleotides, effect metals on conformation, 2459
Polysaccharide-basic dye complexes, CD studies, 2539
Polysaccharide-polypeptide system, CD studies of, 1959
Poly(Sar, Glu(OPNP)) intrachain hydrolysis, 163
Poly U, complex with 3′,5′-cyclic AMP, 373
^{13}C-nmr studies of helix-coil transition, 2589
polarography, 2803
Poly-U-m^{6}m^9 A double-helix, CD and uv studies, 1611
kinetic of formation, 1625
Poly(2-vinylpyridine) catalysis of phenylalanine NCA polymerization, 181
Potentionmetric titration studies, of ionizable homopolypeptides, 2717
of poly(Glu), 685
of poly(Glu) and oligo(Glu), 2211
of poly(Lys) in isopropanol-water, 2309
Prebiotic synthesis, of amino acids, sugars and peptides, 237
Proflavine, binding to polyI.polyC, 791
complex with deoxyribonucleohistone, 445
complex with DNA, 445
Pronase, hydrolysis of poly(Lys), 535
Proteins, CD of solutions in urea and guanidine hydrochloride, 575
dielectric relaxation, 1937

kinetics of dimerization by electrophoretic light scattering, 1161
location of α-helices and β-sheets, 751
partial volumes, 2351
Proton magnetic relaxation studies, of human haemoglobin, 905
Proximity effect on catalytic reaction rates, 1689
Purine nucleosides, conformational studies, 243
Pyrrolidones, conformational energy, 315

Raman scattering studies, of poly(A-U) · poly(A-U), 799
Recoil measurements of HNW DNA, 1071
Renaturation, of DNA in presence of Cu^{2+}, 1
Ribosomal proteins, CD studies, 2083
Ribosomes, binding of acridine orange, 173
sedimentation coefficient, 1853
RNA, CD, 201
tRNA, CD studies, 89
conformational changes, 1713
phenylalanine, fluorescence studies, 27
phenylalanine, oligonucleotides from, uv absorption studies, 27
titration studies, 2853
$tRNA^{fmet}$, thermal transitions, 1247
Rotational relaxation, of DNA, 1543
of macromolecules, 1021

Salt effect on poly(Pro), 993, 1011
Sedimentation coefficients, of heparin with Cu^{2+} and Ca^{2+}, 127
of MS2 RNA, 2607, 2023
of tropocollagen, 53
standardization, 1853
Sedimentation studies, equilibrium, of amylose in DMSO, 1177
of DNA, 869
of monomer-polymer system, 2477
of PM2 bacteriophage DNA, 1387
Sedimentation theory, 857, 877
Sedimentation velocity of amylose in DMSO, 1177
Semiempirical energy calculations, correction of interatomic potential functions, 1269
of cyclic dipeptides, 1421
of cyclo(Pro-Gly)$_3$, 1837
of guanosine-3′,5′-cytidine monophosphate, 2732
of 5′-nucleotides, 297
of nucleotides and polynucleotides, 2075, 2261
of poly(Glu), 845
of poly(Glu-Ala), 157
of polynucleotides, 1787
of polypeptides, influence of torsional rotation about the peptide bond on, 1197
of protein, 751
of purine nucleosides, 243
of tRNA, 1713
Serum albumin, dielectric study of denaturation, 1259
β-Sheet structure, in proteins, 751
Silks, ir studies of, 1337
Single-strand stacking effect on stability of oligonucleotides, 2093
Solid phase peptide synthesis, 2513
Solubility measurements, of β-lactoglobulin A and B mixtures, 931
Solution studies: see also specific studies
Solution properties of poly(Asp(OBzl)), 1533
of poly(Lys(Z)), 1515
Spherical trigonometry of valinomycin, 1565
Stacking, general equations, 1285
Statistical-mechanical model, for DNA superhelices, 11
Stoichiometric studies on homopolycopolynucleotides systems, 1889
Stratum corneum, hydration, 2789
Superhelices, of DNA, model for equilibrium behavior, 11
Surface electric potential of polyelectrolytes, 1363
Surface tension measurements of poly(Lys), 1945
Synthesis, of oligo(Glu), 2199
partial, of cytochrome C, 477, 493, 507, 521, 693, 701, 721, 729

T4B bacteriophage, electro-optical studies, 2607
Telopeptide, influence on reconstituted collagens, 2045
Temperature-jump kinetic studies, of poly U-M^6M^9A double helix, 1625
of proflavine-polyt. poly C, 791
Thermal transitions in $tRNA^{fmet}$, 1247
Thermal unfolding of lysozyme, 2521
Thermodynamic parameters, for poly C·oligo I, 2241

Thermodynamic studies, on homopolycopolynucleotides systems, 1889
Thermodynamics studies, of ligand binding to polymers, 257
Thymine, heat of solution, 1815
Titration studies, of tRNA, 2853
Tobacco mosaic virus, dynamic light scattering, 1021
light scattering studies, 1917
Transconformation of poly(Glu(Na^+)), 1781
Trinucleoside diphosphates, nmr studies, 2409
Triple helix, theory of melting for poly(A+2U), 461
Tropocollagen, sedimentation equilibrium studies, 53
Tropocollagen, viscosity measurements, 53
Tryptophan, uv studies, 1989

Ultracentrifugal field relaxation of f_d-DNA, 1931
Ultracentrifugation studies, of cation binding to DNA, 405
Ultrasonic absorption studies, of poly(Asp(Bzl)), 79
UV studies: see also electronic spectral studies
of histones-aromatic hydrocarbons complexes, 1149
of MS2 RNA, 2007, 2023
Ultraviolet absorption studies, of oligonucleotides from phenylalanine tRNA, 27
of oriented collagen, 655
of poly-α-amino acids, 589
of poly(Pro), 655, 675
UV studies, of poly U-M^6M^9A complex, 1611
of tryptophan and indoles, 1989
UV, far, CD measurements of alkyl amino acids in, 975
far, measurements of aliphatic amino acids, 1353
UV irradiation studies, effect on DNA, 1493
of bromouracil-substituted DNA, 329
Unsaturated peptides, chiroptical properties of, 1445

Vacuum uv spectroscopy studies, of poly-α-amino acids, 589
Valinomycin, spherical trigonometry, 1565
Vibrational spectra: see also ir and Raman spectroscopy
of peptides, 1763
of poly(Pro), 1377
Viscoelastic properties, of poly(Glu(OBzl)), 1905
Viscosity measurements, of amylose in DMSO, 1177
of amylose/iodine complexes, 65
of heparin with Cu^{2+} and Ca^{2+}, 127
of HMW DNA, 1071
of lysozyme, 1741
of PM2 bacteriophage DNA, 1387
of poly(Glu(OBzl)), 1203
of serum albumin, 1259
of tropocollagen, 53
Volume effects, of cation binding to DNA, 405

X-ray diffraction studies, of poly-D-mannuronic acid, 1865
of poly(Glu(Na^+)), 1781
of poly-L-gluronic acid, 1879
of poly-N^{δ}-CBz-ornithrine, 941
of poly (Orn(HBr)), 1997
X-ray studies, of poly(1-benzyl)-histidine, 937
of poly-N^{γ}-CBz-L-α,γ-diaminobutyric acid, 941

Biopolymers

An International Journal of Research on Biological Macromolecules

Volume 12 . 1973

EDITOR

Murray Goodman, *University of California, San Diego, La Jolla, California*

EDITORIAL BOARD

C. B. Anfinsen, *National Institutes of Health, Bethesda, Maryland*

Elkan Blout, *Harvard Medical School, Boston, Massachusetts*

Frank Bovey, *Bell Telephone Laboratories, Murray Hill, New Jersey*

Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*

John Schellman, *University of Oregon, Eugene, Oregon*

ADVISORY BOARD

J. Applequist	W. B. Gratzer	H. Mark	H. A. Scheraga
J. Brahms	J. E. Hearst	T. Miyazawa	E. Scoffone
D. A. Brant	J. C. Kendrew	Y. A. Ovchinnikov	T. Shimanouchi
C. Cantor	H. G. Khorana	A. Peacocke	I. Tinoco
D. M. Crothers	S. Krimm	O. B. Ptitsyn	R. W. Woody
N. Davidson	S. Lifson	G. N. Ramachandran	J. T. Yang
J. Gibbs	R. H. Marchessault	A. Rich	B. H. Zimm

An Interscience® Publication

published by JOHN WILEY & SONS

© 1973 by John Wiley & Sons, Inc.

Statement of ownership, management, and circulation (Act of August 12, 1970; Section 3685, Title 39, United States Code)

1. Date of filing: October 1, 1973.

2. Title of Publication: Biopolymers

3. Frequency of issue: monthly

4. Location of known office of publication: John Wiley and Sons, Inc., 605 Third Avenue, New York, New York 10016

5. Location of headquarters of general business offices of publisher: John Wiley and Sons, Inc., 605 Third Avenue, New York, New York 10016

6. The names and addresses of publisher, and managing editor:
Publisher: John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016
Editor: Murray Goodman, Department of Chemistry, University of California, San Diego, La Jolla, California 92037
Managing Editor: None

7. Owner: John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016

The following is a list of stockholders owning or holding 1% or more of John Wiley & Sons, Inc. stock as of September 24, 1973:

Cynthia W. Darby, Box 651, Bridgehampton, New York 11932; John P. Gilbert, exec. of estate of Julia Wiley Gilbert, c/o Wells Fargo Bank Trust Division 37165, P.O. Box 3820, San Francisco, California 94120; Edward P. Hamilton, 605 Third Avenue, New York, New York 10016; W. Bradford Wiley & Francis Lobdell, Trustees, Elizabeth W. Hamilton Trust, 605 Third Avenue, New York, New York 10016; Edward P. Hamilton, Trustee under will of Elizabeth Wiley Hamilton, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York 10005; I. M. Kolthoff, University of Minnesota, School of Chemistry, Minneapolis, Minnesota; Eric S. Proskauer & Charles H. Lieb, Trustees, u/a by Jenny R. Proskauer, 220 Central Park South, New York, New York 10019; Francis Lobdell & William J. Seawright, Trustees, f/b/o Deborah Elizabeth Wiley, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Cynthia W. Darby & Julia Gilbert, Trustees, under will of Kate R. Q. Wiley, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York; Francis Lobdell & William J. Seawright, Trustees, f/b/o Peter Booth Wiley, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Francis Lobdell & William J. Seawright, Trustees, f/b/o William Bradford Wiley II, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Edward P. Hamilton & Cynthia Wiley Darby, Trustees, under will of William O. Wiley, c/o Gifford, Wood, Carter & Hays, 1 Wall Street, New York, New York; Adele E. Windheim, 8 Dundee Road, Larchmont, New York; Cudd & Company, 1 Chase Manhattan Plaza, New York, New York; W. Bradford Wiley & E. P. Hamilton, Trustees for Edward P. Hamilton Foundation, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Mrs. Rosamond R. Pennywitt, 49 Bristol Place, Bay Head, New Jersey 08742; Drexel Burnham & Co., 60 Broad Street, New York, New York; Palico, c/o Riggs National Trust Department, Washington, D.C.; Trussal & Company, National Bank of Detroit, c/o Trust Department, Detroit, Michigan; Pitt & Company, P.O. Box 2444, Church Street Station, New York, New York; Powers & Co., P.O.B. 1479, Church St. Station, New York, New York; Fomo & Co., c/o Trust Dept., National Bank of Detroit, Detroit, Michigan 48232; Mass. State Carpenters Fund, Hermitage Bldg., 1 Militia Drive, Lexington, Mass. 02173; Merrill, Lynch, Pierce, Fenner & Smith, 70 Pine Street, New York, New York 10005

8. Known bondholders, mortgagees, and other security holders owning or holding 1 per cent or more of total amount of bonds, mortgages, or other securities: None

9. For optional completion by publishers mailing at the regular rates (Section 132.121, Postal Service Manual): 39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates." In accordance with the provisions of this statue, I hereby request permission to mail the publication named in Item 1 at the reduced postage rates presently authorized by 39 U. S. C. 3626.
(*Signature of editor, publisher, business manager, or owner*)

Michael Harris
Vice-President

10. Not applicable

11. Extent and Nature of Circulation

	Average no. copies each issue during preceding 12 months	Single issue nearest to filing date
A. Total No. Copies Printed (*Net Press Run*)	1500	1500
B. Paid Circulation		
1. Sales through Dealers and Carriers, Street Vendors and Counter Sales	...	...
2. Mail Subscriptions	1111	1111
C. Total Paid Circulation	1111	1111
D. Free Distribution (*Including Samples*) by Mail, Carrier or Other Means		
1. Samples, complimentary, and other free copies	29	29
2. Copies distributed to News agents, but not sold	...	...
E. Total Distribution (*Sum of C and D*)	1140	1140
F. Office Use, Left-over, Unaccounted, Spoiled after Printing	360	360
G. Total (*Sum of E & F—Should Equal Net Press Run Shown in A*)	1500	1500

I certify that the statements made by me above are correct and complete.
(*Signature of editor, publisher, business manager, or owner*)

Michael Harris
Vice-President

Biopolymers

CONTENTS

Vol. 12, Issue Nos. 1–12

ISSUE NO. 1, JANUARY

H. RICHARD, J. P. SCHREIBER, and M. DAUNE: Interactions of Metallic Ions with DNA. V. DNA Renaturation Mechanism in the Presence of Cu^{2+} 1

N. LAIKEN: Theoretical Model for the Equilibrium Behavior of DNA Superhelices 11

A. MAELICKE, A. M. F. VON DER HAAR, and F. CRAMER: Spectroscopic Properties of Oligonucleotides Excised from the Anticodon Region of Phenylalanine tRNA from Yeast 27

A. F. USATYI and L. S. SHLYAKHTENKO: Temperature Dependence of CD Spectra of DNA from Various Sources 45

H. UTIYAMA, K. SAKATO, K. IKEHARA, T. SETSUIYE, and M. KURATA: Flexibility of Tropocollagen from Sedimentation and Viscosity 53

M. B. SENIOR and E. HAMORI: Investigation of the Effect of Amylose/Iodine Complexation on the Conformation of Amylose in Aqueous Solution 65

R. ZANA and J. LANG: Ultrasonic Absorption Studies of Poly-Benzyl-L-Aspartate in Mixed Solvents, in Relation to the Helix-Coil Transition 79

V. I. IVANOV, L. E. MINCHENKOVA, A. K. SCHYOLKINA, and A. I. POLETAYEV: Different Conformations of Double-Stranded Nucleic Acid in Solution as Revealed by Circular Dichroism .. 89

F. VAN DER TOUW, J. W. H. BRIEDÉ, and M. MANDEL: Electric Permittivity of Alfalfa Mosaic Virus in Aqueous Solutions 111

M.-H. LOUCHEUX and C. DUFLOT: The Extrinsic Cotton Effects of Nitrobenzylic Chromophore Bound to Helical Poly-α,L-Glutamic Acid 121

B. LAGES and S. S. STIVALA: Interaction of the Polyelectrolyte Heparin with Copper(II) and Calcium 127

S. TAKASHIMA: Study of Dielectric Behavior of DNA in Shear Gradient 145

W. A. HILTNER, A. J. HOPFINGER, and A. G. WALTON: Conformational Analysis of an Ionizable Polydipeptide 157

M. Sisido, Y. Imanishi, and T. Higashimura: Intrachain Hydrolysis in Sarcosine-γ-*p*-nitrophenyl-L-glutamate Copolymers.... 163
M. Tal, H. Rotem, M. Alfasi, and R. A. Berg: The Effect of Acridine Orange on the Structure of Ribosomes..... 173
Y. Imanishi, S. Nagaoka, K. Suzuoki, and T. Higashimura: Effect of Degree of Polymerization and Steric Configuration of Poly(2-vinylpyridine) as Catalyst in the Polymerization of Phenylalanine NCA..... 181
A. E. Tonelli and A. I. R. Brewster: The Conformation Characteristics in Solution of the Synthetic Cyclic Hexapeptide [5L-ala·D-ala]..... 193
D. S. Moore and T. E. Wagner: Origins of the Differences Between the Circular Dichroism of DNA and RNA: Theoretical Calculations..... 201

Issue No. 2, February

J. D. Wells: Thermodynamics of Polyelectrolyte Solutions. An Empirical Extension of the Manning Theory to Finite Salt Concentrations..... 223
A. M. Bryan and P. G. Olafsson: Calorimetric Investigations of Crystalline 3′,5′-Cyclic Nucleotides..... 229
Cr. Simionescu, F. Dénes, and M. Macoveanu: Synthesis of Some Amino Acids, Sugars, and Peptides in Cold Plasma. Electron-Microscopic Studies on Some Proteid Forms (III)... 237
F. Jordan: An Extended Hückel Molecular Orbital Approach to the Study of the Electronic Structures and Barriers to *Syn-Anti* Interconversion in *Syn* Purine Nucleosides..... 243
T. L. Hill: Thermodynamics of Ligand Binding on Dilute Polymer Molecules in Solution: Complementary Monomers and Oligomers on Polynucleotides..... 257
H. J. Li: Helix-Coil Transition in Nucleoprotein—Theory and Applications..... 287
N. Yathindra and M. Sundaralingam: Correlation Between the Backbone and Side Chain Conformations in 5′-Nucleotides. The Concept of a 'Rigid' Nucleotide Conformation..... 297
J. A. Schellman and S. Lifson: Conformational Analysis of Substituted Pyrrolidones..... 315
F. Mönkehaus and W. Köhnlein: Single- and Double-Strand Breaks in 5-Bromouracil-Substituted DNA of *B. subtilis* and Phage PBSH after Irradiation with Long-Wave Length UV and Their Correlation to Intramolecular Energy Transfer..... 329
D. Vasilescu, M. Teboul, H. Kranck, and B. Camous: Showing up the Thermal Transconformation of Na-DNA in Solution by Noise Spectrography..... 341

V. P. Tomaselli and M. H. Shamos: Electrical Properties of Hydrated Collagen. I. Dielectric Properties 353
Y.-C. E. Pan and A. M. Bobst: Melting Studies on Spin-Labeled Polyadenylic-Polyuridylic Complexes 367
F. Franck and Th. Ackermann: A Calorimetric Study of a Polymer-Monomer Complex Formed by Polyuridylic Acid and 3′,5′-Cyclic AMP 373
J. Pilet and J. Brahms: Investigation of DNA Structural Changes by Infrared Spectroscopy 387
R. M. Clement, J. Sturm, and M. P. Daune: Interaction of Metallic Cations with DNA. VI. Specific Binding of Mg^{++} and Mn^{++} 405
P. De Santis, L. D'Ilario, G. Lamanna, S. Morosetti, and M. Savino: Circular Dichroism and Molecular Conformation of Copper(II)-Gramicidin S Complexes 423
P. Zugenmaier and A. Sarko: Packing Analysis of Carbohydrates and Polysaccharides. II. B-Amylose 435
D. G. Dalgleish, E. Dingsøyr, and A. R. Peacocke: A Comparison of the Interactions of Proflavine with DNA and with Deoxyribonucleohistone Using Circular Dichroism Spectroscopy 445
Information to Contributors 459

Issue No. 3, March

B. Goldstein: Theory of Melting of the Triple Helix Poly (A + 2U) for a 1:2 Mixture of Poly A to Poly U 461
L. Moroder, G. Borin, F. Marchiori, and E. Scoffone: Studies on Cytochrome c. Part I. Synthesis of the Protected Hexadecapeptide (Sequence 1–16) of Baker's Yeast Iso-1-cytochrome c 477
L. Moroder, F. Marchiori, G. Borin, and E. Scoffone: Studies on Cytochrome c. Part II. Synthesis of the Protected Heptapeptide (Sequence 17–23) of Baker's Yeast Iso-1-cytochrome c. 493
L. Moroder, G. Borin, F. Marchiori, and E. Scoffone: Studies on Cytochrome c. Part III. Synthesis of the Protected Heneicosapeptide (Sequence 24–44) of Baker's Yeast Iso-1-cytochrome c 507
G. Borin, L. Moroder, F. Marchiori, and E. S Scoffone: Studies on Cytochrome c. Part IV. Synthesis of the Protected Dodecapeptide (Sequence 45–56) of Baker's Yeast Iso-1-cytochrome c 521
R. Sass and W. Thiemann: Hydrolysis of Poly-L-lysine by Pronase 535
R. A. Gelman, W. B. Rippon, and J. Blackwell: Interactions Between Chondroitin-6-Sulfate and Poly-L-Lysine in Aqueous Solution: Circular Dichroism Studies 541

J. M. Bailey: The Electrostatic Potential of a Discretely Charged Cylinder in Solution 559
M. L. Tiffany and S. Krimm: Extended Conformations of Polypeptides and Proteins in Urea and Guanidine Hydrochloride .. 575
C. R. McMillin, W. B. Rippon, and A. G. Walton: Vacuum Ultraviolet Spectroscopy of Poly-α-amino Acids 589
H. A. Saroff: Action of Hemoglobin. The Energy of Interaction. 599
P. Combelas, C. Garrigou-Lagrange, and J. Lascombe: Etude par Spectroscopic Infrarouge de la Transformation Hélice–Chaine Statistique des Polypeptides. I. Etude Comparée de l'Interaction de la Poly-L-alanine et d'un Amide Modèle avec L'Acide Trifluoroacétique 611
K. D. Kopple, G. R. Wiley, and R. Tauke: A Dihedral Angle-Vicinal Proton Coupling Constant Correlation for the α-β Bond of Amino Acid Residues 627
Yu. N. Chirgadze and A. M. Ovsepyan: Observation of Small Conformational Changes in the Sperm-Whale Myoglobin by the Far-Infrared Spectra 637
F. D. Williams and R. D. Brown: The Rate of γ-Benzyl-L-Glutamate NCA Polymerizations 647
R. Mandel and G. Holzwarth: Ultraviolet Circular Dichroism of Polyproline and Oriented Collagen 655
L. Tterlikkis, F. M. Loxsom, and W. Rhodes: Theoretical Optical Properties of Poly-L-Proline 675

Communication to the Editor

P. L. Dubin: The Effect of *tert*-Butanol on the Conformational Stability of Poly-L-glutamic Acid: The Role of Side-Chain Interactions 685
Information to Contributors 691

Issue No. 4, April

G. Borin, L. Moroder, F. Marchiori, and E. Scoffone: Studies on Cytochrome c. Part V. Synthesis of the Protected Decapeptide (Sequence 57–66) of Baker's Yeast Iso-1-cytochrome c. 693
L. Moroder, F. Marchiori, G. Borin, and E. Scoffone: Studies on Cytochrome c. Part VI. Synthesis of the Protected Pentadecapeptide (Sequence 67–81) of Baker's Yeast Iso-1-cytochrome c 701
L. Moroder, G. Borin, F. Marchiori, and E. Scoffone: Studies on Cytochrome c. Part VII. Synthesis of the Protected Undecapeptide (Sequence 82–92) of Baker's Yeast Iso-1-cytochrome c 721

L. Moroder, F. Marchiori, G. Borin, and E. Scoffone: Studies on Cytochrome c. Part VIII. Synthesis of the Protected Hexadecapeptide (Sequence 93–108) of Baker's Yeast Iso-1-cytochrome c 729
E. A. Kabat and T. T. Wu: The Influence of Nearest-Neighboring Amino Acid Residues on Aspects of Secondary Structure of Proteins. Attempts to Locate α-Helices and β-Sheets 751
R. D. Blake and J. R. Fresco: Polynucleotides. XI. Thermodynamics of $(A)_N \cdot 2(U)_\infty$ From the Dependence of T_m^N on Oligomer Length 775
C. Steenbergen, Jr., and S. C. Mohr: A Temperature-Jump Kinetic Study of the Binding of Proflavine to PolyI · Poly C 791
K. Morikawa, M. Tsuboi, S. Takahashi, Y. Kyogoku, Y. Mitsui, Y. Iitaka, and G. J. Thomas, Jr.: The Vibrational Spectra and Structure of Poly(rA-rU) · Poly(rA-rU) 799 799
C. P. Bean and A. J. Bennett: Conformational Changes of Polypeptides in Intense Electric Fields 817
J. P. Segrest and L. W. Cunningham: Unit Fibril Models Derived from the Molecular Topography of Collagen 825
S. P. Rao and W. G. Miller: Effect of Residual Side Chain Blocking Groups and Side Chain Charge on Polypeptide Conformation in Aqueous Solution 835
J. H. Rai and W. G. Miller: Electrostatic Interactions in Polyglutamic Acid 845
B. Goldstein and B. H. Zimm: Anomalies in Sedimentation. I. Stability Theory of Sedimenting Entanglements in the "Tight-Bending" Limit 857
V. N. Schumaker and B. H. Zimm: Anomalies in Sedimentation. II. Testing the Entanglement Hypothesis 869
V. N. Schumaker and B. H. Zimm: Anomalies in Sedimentation. III. A Model for the Inherent Instability of Solutions of Very Large Particles in High Centrifugal Fields 877
M. Hatano, M. Yoneyama, and Y. Sato: Interaction of Poly-α,L-glutamic Acid with Acridine Orange 895
G. Pifat, S. Maričič, and Š. Grandja: A Proton Magnetic Relaxation Study of Human Ferrihaemoglobin in Aqueous Salt Solutions 905
K. Itoh and H. Katabuchi: Far-Infrared Spectra of Sequential Polypeptides with α-Helical and Polyglycine II Structures 921

Communications to the Editor

J. S. Wall and A. C. Beckwith: Interpretation of the Solubilities of Mixtures of β-Lactoglobulins A and B 931
A. Del Pra, M. Mammi, and E. Peggion: Solid-State Conformation of Poly-(1-benzyl)-L-Histidine by X-Ray 937

A. Del Pra, P. Spadon, and G. Valle: X-Ray Studies on the formation of Poly-N^{γ}-carbobenzoxy-L-α-γ-diaminobutyric Acid and Poly-N^{δ}-carbobenzoxy-L-ornithine 941
Information to Contributors 945

Issue No. 5, May

S. S. Stivala, S. Yadlowsky, and L. Yuan: Kinetics of the Acid Hydrolysis of Heparin from Its Cu(II) Complex and Its Relation to Biological Activity 947
B. Lages and S. S. Stivala: Copper Ion Binding and Heparin Interactions of Human Fibrinogen 961
P. A. Snyder, P. M. Vipond, and W. C. Johnson, Jr.: Circular Dichroism of the Alkyl Amino Acids in the Vacuum Ultraviolet . 975
T. Schleich and Y. Yeh: The Solution Behavior of Poly-L-Proline: I. Light Scattering Studies in Water and Concentrated Aqueous Neutral Salt Solutions 993
D. A. Lerner and T. Schleich: The Solution Behavior of Poly-L-Proline: II. Fluorescence Behavior of Labeled Polyproline in Water and Concentrated Aqueous Neutral Salt Solutions 1011
J. M. Schurr and K. S. Schmitz: Rotational Relaxation of Macromolecules Determined by Dynamic Light Scattering. I. Tobacco Mosaic Virus 1021
D. N. Goswami, J. Das, and D. D. Das Gupta: Dielectric Behavior of DNA-Proflavine Complex 1047
B. M. Fung, and S. C. Wei: The Effect of Alkali and Alkaline Earth Salts on the Structure of Hydrated Collagen Fibers as Studied by Deuterium NMR 1053
E. P. Chang and J. C. W. Chien: The Effect of Ions on the Superstructures of Reconstituted Collagen 1063
D. J. Massa: Flow Properties of High-Molecular-Weight DNA Solutions: Viscosity, Recoil, and Longest Retardation Time .. 1071
D. I. Marlborough: The Optical Rotatory Properties of Poly-γ-D- Glutamic Acid 1083
D. Balasubramanian, C. C. Kalita, and J. Kovacs: Conformational Studies of Anthrax Polypeptide, Subtilis Polypeptide, and Synthetic Poly-γ-L- Glutamic Acid 1089
C. H. Lee, C.-T. Chang, and J. G. Wetmur: Induced Circular Dichroism of DNA–Dye Complexes 1099
R. T. Ingwall and P. J. Flory: Depolarized Light Scattering by Amides and Peptides 1123
R. T. Ingwall, E. A. Czurylo, and P. J. Flory: Kerr Constants of Amides and Peptides 1137
E. W. Small, A. M. Craig, and I. Isenberg: Histone IV Binding of 3,4-Benzpyrene, Pyrene, Anthracene and 9-Methylanthracene 1149

B. J. Berne and R. Giniger: Electrophoretic Light Scattering as a Probe of Reaction Kinetics 1161
E. Dore, C. Frontali, and E. Gratton: The Effect of Temperature on Acid Condensation of DNA 1171
M. Fujii, K. Honda, and H. Fujita: Dilute Solution of Amylose in Dimethylsulfoxide 1177

Communications to the Editor

W. A. Hiltner and A. J. Hopfinger: The Influence of Torsional Rotation About the Peptide Bond on Polypeptide Conformation 1197

Issue No. 6, June

T. Imae and S. Ikeda: The Viscosity Behavior and Conformations of Low-Molecular-Weight Poly-γ-benzyl-L-glutamate in Various Solvents 1203
R. A. Gelman, D. N. Glaser, and J. Blackwell: Interaction Between Chrondroitin-6-sulfate and Poly-L-arginine in Aqueous Solution 1223
D. M. Gray, R. L. Ratliff, and D. L. Williams: The Circular Dichroism of Poly d(AAT):d(AAT) and Poly r(AAU):r(AUU). A Test of the First-Neighbor Hypothesis 1233
N. R. Kallenbach, R. I. Ma, J. Ofengand, and M. A. Q. Siddiqui: Thermal Transitions in *E. coli* $tRNA^{fMet}$ and Two of its Molecular Fragments 1247
M. Y. Rosseneu-Motreff, F. Soetewey, R. Lamonte, and H. Peeters: Dielectric Study of the Urea Denaturation of Delipidated and Relipidated Bovine Serum Albumin 1259
D. J. Nelson and J. Hermans, Jr.: Non-Bonded Interatomic Potential Functions and Crystal Structure. Correlation of the Functions for Use with Macromolecules and Application to Polypeptide Helixes 1269
T. L. Hill and Y.-D. Chen: Theory of Aggregation in Solution. I. General Equations and Application to the Stacking of Bases, Nucleosides, Etc. 1285
D. Pörschke, O. C. Uhlenbeck, and F. H. Martin: Thermodynamics and Kinetics of the Helix-Coil Transition of Oligomers Containing GC Base Pairs 1313
Yu. N. Chirgadze, B. V. Shestopalov, and S. Yu. Venyaminov: Intensities and Other Spectral Parameters of Infrared Amide Bands of Polypeptides in the β- and Random Forms 1337
T. Inagaki: Optical Absorptions of Aliphatic Amino Acids in the Far Ultraviolet 1353
S. Sugai and K. Nitta: Surface Electric Potential on Rod-Like Polyelectrolyte 1363

V. D. Gupta, R. D. Singh, and A. M. Dwivedi: Vibrational Spectra and Dispersion Curves of Poly-L-proline II Chain 1377
D. A. Ostrander and H. B. Gray, Jr.: Sedimentation and Intrinsic Viscosity Behavior of PM2 Bacteriophage DNA in Alkaline Solution 1387

Communications to the Editor

R. Chandrasekaran, A. V. Lakshminarayanan, P. Mohabakrishan, and G. N. Ramachandran: Conformation of Cyclic Dipeptides from Empirical Energy Calculations 1421
R. L. Schmidt: Observation of the Internal Motion in N1-DNA 1427
C. K. S. Pillai and U. S. Nandi: Binding of Gold(III) with DNA 1431
L. Yuan and A. Veis: The Self-Assembly of Collagen Molecules 1437
O. Pieroni, A. Fissi, and G. Montagnoli: Chiroptical Properties of Unsaturated Peptides 1445

Issue No. 7, July

L. Ferrara and P. A. Temussi: Solvent Dependence of the Helix-Coil Transition of Poly-γ-benzyl-L-glutamate. A PMR Study 1451
J. N. Kikkert, G. R. Kelley, and T. Kurucsev: Interactions between Purine Derivatives: Electronic Spectral Studies. I. Electronic Transitions in Caffeine Monomer and Exciton Coupling in Caffeine Dimer 1459
G. Weisbuch and E. Neumann: Molecular Field Theory of Hysteresis in Helix–Coil Transitions of Polynucleotides 1479
R. S. Snart: The Electrical Properties and Stability of DNA to UV Radiation and Aromatic Hydrocarbons 1493
Y. Imanishi, T. Sugihara, and T. Higashimura: Polymerization of DL-Phenylalanine NCA Initiated by Copolymer of Sarcosine and DL-Phenylalanine 1505
M. Matsuoka, T. Norisuye, A. Teramoto, and H. Fujita: Solution Properties of Synthetic Polypeptides. XV. Helix-Coil Transition in Poly(ε-carbobenzyloxy L-Lysine) 1515
T. Norisuye, K. Misumi, A. Teramoto, and H. Fujita: Solution Properties of Synthetic Polypeptides. XVI. Hydrogen Bonding in Helix–Coil Transitions of Poly(β-benzyl L-Aspartate) 1533
K. S. Schmitz and J. M. Schurr: Rotational Relaxation of Macromolecules Determined by Dynamic Light Scattering. II. Temperature Dependence for DNA 1543
N. L. Max: Spherical Trigonometry and the Structure of Valinomycin 1565
M. Ptak: Conformation of Malformin A: A Proton Magnetic Resonance and Circular Dichroism Study 1575

M. Ya. Azbel': The Inverse Problem for DNA 1591
G. M. Hoffman and D. Pörschke: Cooperative Nonenzymic Base Recognition. Thermodynamics of the Helix-Coil Transition of a Monomer–Polymer Double Helix 1611
G. W. Hoffman and D. Pörschke: Cooperative Nonenzymic Base Recognition. Kinetics of the Binding of a Base Monomer to a Complementary Polynucleotide Template 1625
D. Balasubramanian and R. Shaikh: On the Interaction of Lithium Salts with Model Amides 1639
M. Avignon, C. Garrigou-Lagrange, and P. Bothorel: Conformational Analysis of Dipeptides in Aqueous Solution. II. Molecular Structure of Glycine and Alanine Dipeptides by Depolarized Rayleigh Scattering and Laser Raman Spectroscopy 1651
A. J. Bennett: The Absorption of Globular Proteins 1671
L. Hocker, J. Krupp, G. B. Benedek, and J. Vournakis: Observations of Self-Aggregation and Dissociation of *E. coli* Ribosomes by Optical Mixing Spectroscopy 1677
C. DeLisi and D. M. Crothers: The Contribution of Proximity and Orientation to Catalytic Reaction Rates 1689

Communications to the Editor

J. M. Bailey: A Comparison of Two Cluster Expansion Approaches to Polyelectolyte Theory 1705
Erratum 1709
Announcement 1711

Issue No. 8, August

C. De Lisi: Conformational Changes in Transfer RNA. I. Equilibrium Theory 1713
M. Matsumoto, H. Watanabe, and K. Yoshioka: Electric and Hydrodynamic Properties of Polypeptides in Solution. IV. A New Conformational Change of Poly(L-glutamic Acid) in Dimethylsulfoxide–Methanol Mixtures 1729
M. Komatsubara, K. Suzuki, H. Nakajima, and Y. Wada: Electroviscous Effect of Lysozyme in Aqueous Solutions 1741
M. Hanss, B. Roux, J. C. Bernengo, M. Milas, and M. Rinaudo: Electro-Optical Properties of Carboxymethylcellulose. I. Concentration and Ionic Strength Dependence 1747
M. I. Dakhis, V. G. Dashevsky, and A. I. Kitaigorodsky: The Vibrational Spectra and Conformations of Some Peptide Compounds: An Application of the Additive Interatomic Interaction Model 1763
Y. Mitsui: Hydration-Dependent α–β Transconformation of Sodium Poly-L-glutamate as Observed by X-Ray Diffraction .. 1781

W. K. Olson: *Syn-Anti* Effects on the Spatial Configuration of Polynucleotide Chains 1787
J. Alvarez and R. Biltonen: Nucleic Acid–Solvent Interactions: Temperature Dependence of the Heat of Solution of Thymine in Water and Ethanol 1815
D. D. F. Shiao and J. M. Sturtevant: Heats of Thermally Induced Helix–Coil Transitions of DNA in Aqueous Solution ... 1829
V. Madison: Conformational Energy and Circular Dichroism Computed for Cyclo(Pro-Gly)$_3$ 1837
M. Belli: The Evaluation of Standard Sedimentation Coefficient in Band Sedimentation of Macromolecules 1853
E. D. T. Atkins, I. A. Nieduszynski, W. Mackie, K. D. Parker, and E. E. Smolko: Structural Components of Alginic Acid. I. The Crystalline Structure of Poly-β-D-Mannuronic Acid. Results of X-Ray Diffraction and Polarized Infrared Studies .. 1865
E. D. T. Atkins, I. A. Nieduszynski, W. Mackie, K. D. Parker, and E. E. Smolko: Structural Components of Alginic Acid. II. The Crystalline Structure of Poly-α-L-Guluronic Acid. Results of X-Ray Diffraction and Polarized Infrared Studies .. 1879
A. J. Lomant and J. R. Fresco: Polynucleotides. XIII. Stoichiometric and Thermodynamic Studies of Polynucleotide Helices with Non-Complementary Residues 1889
T. C. Warren, J. L. Schrag, and J. D. Ferry: Infinite-Dilution Viscoelastic Properties of Poly-γ-benzyl-L-glutamate in Helicogenic Solvents 1905
T. A. King, A. Knox, and J. D. G. McAdam: Translational and Rotational Diffusion of Tobacco Mosaic Virus from Polarized and Depolarized Light Scattering 1917

Communications to the Editor

N. Gō and Y. Suezaki: Analysis of the Helix–Coil Transition in (Pro-Pro-Gly)$_n$ by the All-or-None Model 1927
P. W. Chun, A. J. Richard, W. P. Herschler, and M. L. Krista: Ultracentrifugal Field Relaxation Behavior of f_d-DNA 1931

Issue No. 9, September

G. P. South and E. H. Grant: The Contribution of Proton Fluctuation to Dielectric Relaxation in Protein Solutions 1937
A. W. Neumann, M. A. Moscarello, and R. M. Epand: The Application of Surface Tension Measurements to the Study of Conformational Transitions in Aqueous Solutions of Poly-L-Lysine 1945
R. A. Gelman and J. Blackwell: Interactions Between Mucopolysaccharides and Cationic Polypeptides in Aqueous Solution: Chondroitin 4-Sulfate and Dermatan Sulfate 1959

J. Flemming: Über die Adsorption von DNA in der Grenzfläche Quecksilber–Elektrolyt. III. Reaktoinen der DNA in der Grenzfläche Quecksilber—Elektrolyt 1975
E. H. Strickland and C. Billups: Oscillator Strengths of the ^1L_a and ^1L_b Absorption Bands of Tryptophan and Several Other Indoles 1989
M. Suwalsky and L. de la Hoz: An X-Ray Diffraction Study of Poly-L-Ornithine Hydrobromide 1997
H. Slegers and W. Fiers: Studies on the Bacteriophage MS2. XXII. Conformation of MS2 RNA in Acid Medium 2007
H. Slegers and W. Fiers: Studies on the Bacteriophage MS2. XXIII. Fixation of the MS2 RNA Acid Structure by Formaldehyde 2023
H. Slegers, J. Clauwaert, and W. Fiers: Studies on the Bacteriophage MS2. XXIV. Hydrodynamic Properties of the Native and Acid MS2 RNA Structures 2033
J. C. W. Chien and E. P. Chang: Influence of Telopeptide on the Morphology and Physicomechanical Properties of Reconstituted Collagens 2045
W. J. Deal: Cooperative Binding of Oxygen to Hemoglobin: Analysis of Accurate Equilibrium Binding Data 2057
N. Yathindra and M. Sundarlingam: Conformational Studies on Guanosine Nucleotides and Polynucleotides. The Effect of the Base on the Glycosyl and Backbone Conformations 2075
M. Boublik, N. Brot, and H. Weissbach: The Conformational Stability of Ribosomal Proteins L_7 and L_{12} from *E. coli*. I. Circular Dichroism Study of the Changes Induced by Ionic Strength and Solvents 2083
D. W. Appleby and N. R. Kallenbach: Theory of Oligonucleotide Stabilization. I. The Effect of Single-Strand Stacking. 2093
H. Maeda and S. Ikeda: Phase Separation in the Beta-Coil Transition of Poly-*S*-carboxyethyl-L-cysteine 2121
A. R. Zeiger, A. Lange, and P. H. Maurer: Synthesis of Two Sequential Polypeptides by Dispersion in Benzene and Their Circular Dichroism Spectra in Aqueous Solution: Poly(L-Glu-L-Lys-L-Ala-Gly) and Poly(L-Ala-D-Glu-L-Lys-D-Ala-Gly) 2135
M. Hanss and J. C. Bernengo: Dielectric Relaxation and Orientation of DNA Molecules 2151
T.-J. Yu, J. L. Lippert, and W. L. Peticolas: Laser Raman Studies of Conformational Variations of Poly-L-lysine 2161

Communications to the Editor

A. W. Burgess and H. A. Scheraga: Stable Conformations of Dipeptides 2177
Yu. N. Chirgadze and E. V. Brazhnikov: Intensity of the Infrared Amide I Band of Dipeptides in Heavy Water 2185

A. Sarko and C. Fischer: Far Ultraviolet Optical Activity of Saccharide Derivatives. III. Amylose Triacetate in the Solid State 2189
Errata 2195
Announcement 2197

Issue No. 10, October

M. Rinaudo, A. Domard, and G. Spach: Synthèses et Caractérisation des Trois Premiers Oligomères de l'Acide α-L-Glutamique. I 2199
M. Rinaudo and A. Domard: Etude Potentiométrique de l'α-Poly(acide-L-glutamique) et de ses Oligomères. II 2211
L. S. Kan, J. C. Barrett, P. S. Miller, and P. O. P. Ts'o: Proton Magnetic Resonance Studies of the Conformational Changes of Dideoxynucleoside Ethyl Phosphotriesters 2225
M. W. Springgate and D. Poland: Cooperative and Thermodynamic Parameters for Oligoinosinate–Polycytidylate Complexes 2241
N. Yathindra and M. Sundaralingam: Conformational Studies on Pyrimidine 5′-Monophosphates and 3,5′-Diphosphates. Effect of the Phosphate Groups on the Backbone Conformation of Polynucleotides 2261
J. M. Salhany: Isokinetic Relationship for the Effect of Inorganic Phosphate and Protons on the Deoxygenation Rate of Human Hemoglobin 2279
G. H. Bardelmeyer: Electrical Conduction in Hydrated Collagen. I. Conductivity Mechanisms 2289
G. H. Bardelmeyer: Electrical Conduction in Collagen. II. Some Aspects of Hydration 2303
M. Barteri and B. Pispisa: Influence of Isopropanol–Water Solvent Mixtures on the Conformation of Poly-L-Lysine 2309
R. E. Dehl: The Effect of Salts on the Nmr Spectra of D_2O in Collagen Fibers 2329
J. B. Milstien and J. A. Ferretti: The Effect of Polydispersity on the Nuclear Magnetic Resonance Spectra of Poly-γ-benzyl-L-glutamate 2335
H. B. Bull and K. Breese: Temperature Dependence of Partial Volumes of Proteins 2351
R. S. Lord and D. J. Cox: Optical Activity of Simple Peptides. I. Glycine Oligopeptides with Internal L-Alanyl or L-Glutamyl Residues 2359
M. Sisdo, Y. Imanishi, and T. Higashimura: Nuclear Magnetic Resonance Study on the Model Compounds for Poly(*N*-alkylglycine)s 2375

B. P. Cross and T. Schleich: Determination of the Molecular Conformation of β-D-O²,2-Cyclouridine in Aqueous Solutions by Proton Magnetic Resonance Spectroscopy 2381
L. Reibel, G. Spach, and C. Dufour: Etude Physicochimique des Copolymères Triséquencés Poly(γ-L-glutamate de benzyl)/Poly(oxyéthylene/Poly(γ-L-glutamate de benzyl). Rôle de la Polydispersité dans la Determination de la Conformation des Molécules en Solution Diluee 2391
L. S. Kan, J. C. Barrett, and P. O. P. Ts'o: The Distant Shielding Effect in Trinucleoside Diphosphates 2409
M. Hatano, M. Yoneyama, Y. Sato, and Y. Kawamura: Induced Optical Activity in Poly-L-lysine–Methyl Orange System 2423

Communications to the Editor

F. Ascoli, M. Branca, C. Mancini, and B. Pispisa: Different Behavior of Native and Denatured DNA in the Interaction with Tris(ethylenediamine) Co(III) Complex Ions 2431
J. W. O. Tam and I. M. Koltz: On the Assignment of α-CH Peaks in the Nuclear Magnetic Resonance Spectra of Polypeptides 2435
J. Schweitzer and B. R. Jennings: Electro-Optic Decay Analysis for Polydisperse Systems. II. Discrete Averaging for Rods 2439

Issue No. 11, November

K. Nagayama and A. Wada: On the Double Peak of NMR in the Helix–Coil Transition Region 2443
Y. A. Shin: Interaction of Metal Ions with Polynucleotides and Related Compounds. XXII. Effect of Divalent Metal Ions on the Conformational Changes of Polyribonucleotides 2459
M. Johnson D. A. Yphantis, and G. H. Weiss: Instability in Pressure-Dependent Sedimentation of Monomer–Polymer Systems 2477
M. Eisenstadt and I. H. Scheinberg: Dielectrophoresis of Macromolecules 2491
M. W. Monahan and C. Gilon: A Rapid Method for the Preparation of Amino Acid Resin Esters for Merrifield Solid-Phase Peptide Synthesis 2513
S.-I. Segawa, Y. Husimi, and A. Wada: Kinetics of Thermal Unfolding of Lysozyme 2521
K. Nakajima and G. Matsumura: Effect of Temperature on the Induced Cotton Effects of Acid Polysaccharide-Basic Dye Complexes 2539
M. Goodman, F. Chen, and F. R. Prince: Conformational Aspects of Polypeptide Structure. XLIV. Conformational Transitions of Poly-(*N*-Methyl-alanines) Induced by Trifluoroacetic Acid 2549

T. R. Chay and C. L. Stevens: Kinetic Study on Unzippering of Polynucleotides and Order–Order Transition in Polypeptides.. 2563
G. Govil and I. C. P. Smith: A Carbon-13 Magnetic Resonance Study of the Helix–Coil Transition in Polyuridylic Acid..... 2589
A. W. Burgess and S. J. Leach: An Obligatory α-Helical Amino Acid Residue..... 2599
J. Greve and J. Blok: Transient Electric Birefringence of T.-Even Bacteriophages. I. T4B in the Absence of Tryptophan and Fiberless T4 Particles..... 2607
A. Minakata and S. Kobayashi: Dielectric Properties of Polyelectrolytes. V. Dielectric Dispersion of Heavy Meromyosin 2623
G. H. Weiss and M. Dishon: Elution Properties of Inhomogeneous Chromatographic Systems..... 2631

Communications to the Editor

M. Goodman and N. Ueyama: An Alternative Explanation to Peptide Bond Protonation in Deuterochloroform Trifluoroacetic Acid as Measured by Nuclear Magnetic Resonance..... 2639

Issue No. 12, December

Y. Imanishi, K. Kugimiya, and T. Higashimura: Polymerization of L- and DL-Phenylalanine *N*-Carboxyanhydride by Poly(*N*-methyl-L-alanine)..... 2643
J. C. Smith and R. W. Woody: Optical and Other Properties of a Hydrocarbon-Soluble Polypeptide, Poly-γ-(*n*-dodecyl)-L-glutamate..... 2657
K. Kikuchi and K. Yoshioka: Electric Birefringence of Poly-L-lysine Hydrobromide in Methanol-Water Mixtures and Helix-Coil Transition Induced by High Electric Fields..... 2667
A. Nakajima, T. Fugiwara, T. Hayashi, and K. Kaji: Occurrence of β-Chain Conformation in Poly-γ-methyl Glutamate Membranes..... 2681
A. W. Burgess and S. J. Leach: Conformational Studies on Alamethicin..... 2691
R. Almassy, J. S. V. Zil, L. G. Lum, and J. B. Ifft: Buoyant and Potentiometric Titrations of Synthetic Polypeptides. I. Six Ionizable Homopolypeptides in CsCl Solutions..... 2713
S. D. Stellman, B. Hingerty, S. B. Broyde, E. Subramanian, T. Sato, and R. Langridge: Structure of Guanosine-3′,5′-cytidine Monophosphate. I. Semi-empirical Potential Energy Calculations and Model-Building..... 2731
E. P. Chang and J. C. W. Chien: Optical Characterization of Orientation of Collagen..... 2751
B. Fanconi: Low-Frequency Vibrational Spectra of Some Homopolypeptides in the Solid State..... 2759

S. S. Yu and H. J. Li: Helix-Coil Transition and Conformational Studies of Protamine–DNA Complexes 2777
R. L. Anderson, J. M. Cassidy, J. R. Hansen, and W. Yellin: Hydration of Stratum Corneum 2789
B. Janik and R. G. Sommer: Polarography of Polynucleotides. IV. Effect of the Molecular Weight of Poly(U) on Its Adsorption at a Charged Surface 2803
T. Sugihara, Y. Imanishi, and T. Higashimura: Studies on Cyclic Peptides. I. Cyclodisarcosyl–Metal Salts Complexes. 2823
P. Le Barny and M. H. Loucheux-Lefebvre: Study by Circular Dichroism and Optical Rotatory Dispersion of Polypeptides with Aromatic Side-Chain Chromophores 2831
A. Revzin, E. Neumann, and A. Katchalsky: Metastable Secondary Structures in Ribosomal RNA: A New Method for Analyzing the Titration Behavior of rRNA 2853
Author Index 2885
Subject Index 2897
Volume Title Page i
Volume Contents iii

INFORMATION TO CONTRIBUTORS

1. Manuscripts (original and two copies) should be submitted to one of the members of the Editorial Board or to the Editorial Office, c/o M. Goodman, Department of Chemistry, University of California, San Diego, La Jolla, California 92037. Original figures should be included. Papers will be accepted in English, French, and German. Address all other correspondence to the publishers, Periodicals Division, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016.
2. Manuscripts for publication that have not been published elsewhere, books for review, and all correspondence regarding papers prior to their acceptance should be submitted to the Editorial Office. The editors desire to receive manuscripts based on original research in the field of biopolymers (proteins, nucleic acids, polysaccharides, etc.) and synthetic model compounds of such substances.
3. It is the preference of the editors that papers be published in the English language. However, if the author desires that his paper be published in French or German, it is necessary that a particularly complete and comprehensive synopsis be furnished.
4. Manuscripts should be submitted in triplicate (one *original*, two carbon copies), typed *double* space throughout, on a heavy grade of paper, with margins of one inch on both sides.
5. A short synopsis of the main contributions in the paper is required. This synopsis should be carefully prepared, for it will automatically be the source of most abstracts. A summary of the whole paper, not the conclusions alone, should form the synopsis.
6. The paper should be reasonably subdivided into sections and, if necessary, subsections. Please refer to any issue of this Journal for examples.
7. The references should be numbered consecutively in the order of their appearance and should be complete, including authors' initials and—for unpublished lectures or symposia—the title of the paper, the date, and the name of the sponsoring society. Please compile references on a separate sheet at the end of the manuscript.
8. Please do not use footnotes to the text. Materials intended for footnotes should be inserted at the appropriate point in the manuscript proper and marked for "small type" (or inserted in the text as parenthetical material).
9. Please supply numbers and titles for all tables. All table columns should have an explanatory heading.
10. It is particularly important that all figures be submitted in a form suitable for reproduction. Good glossy photographs are required for halftone reproductions. For line drawings (graphs, etc.), the figures must be drawn clearly with India ink on heavy white paper, Bristol board, drawing linen, or coordinate paper with a very light blue background. The India ink lettering of graphs must be large, clear, and "open" so that letters and numbers do not fill in when reduced for publication. It is the usual practice to submit drawings that are twice the size of the final engravings; the maximum final size of figures for this journal is $4\frac{1}{2} \times 7\frac{1}{2}$ inches.
    It is the author's responsibility to obtain written permission to reproduce material which has appeared in another publication.
    If in doubt about the preparation of illustrations suitable for reproduction, please consult the publisher at the address given above in paragraph *1* and ask for a sample drawing.
11. Please supply legends for all figures and compile these on a separate sheet.

12. Authors are cautioned to type—wherever possible—all mathematical and chemical symbols, equations, and formulas. If these must be hand-written, please write clearly and leave ample space above and below for printer's marks; please use only ink. All Greek or unusual symbols should be identified in the margin the first time they are used. Please distinguish in the margins of the manuscript between capital and small letters of the alphabet wherever confusion may arise (e.g., k, K, κ). Please underline with a wavy line all vector quantities. Use fractional exponents to avoid root signs.

    The nomenclature sponsored by the international Union of Chemistry is requested for chemical compounds. Chemical bonds should be correctly placed, and double bonds clearly indicated. Valence is to be indicated by superscript plus and minus signs.

13. Authors will receive 50 reprints of their articles without charge. Additional reprints can be ordered and purchased by filling out the form attached to the galley proof. Page proofs will not be supplied.

14. No manuscript will be returned following publication unless a request for return is made when the manuscript is originally submitted.

Manuscripts and illustrations not conforming to the style of the Journal will be returned to the author for reworking, thus delaying their appearance.

B. JANIK and R. G. SOMMER: Polarography of Polynucleotides. IV. Effect of the Molecular Weight of Poly(U) on Its Adsorption at a Charged Surface 2803

T. SUGIHARA, Y. IMANISHI, and T. HIGASHIMURA: Studies on Cyclic Peptides. I. Cyclodisarcosyl–Metal Salts Complexes 2823

P. LE BARNY and M. H. LOUCHEUX-LEFEBVRE: Study by Circular Dichroism and Optical Rotatory Dispersion of Polypeptides with Aromatic Side-Chain Chromophores 2831

A. REVZIN, E. NEUMANN, and A. KATCHALSKY: Metastable Secondary Structures in Ribosomal RNA: A New Method for Analyzing the Titration Behavior of rRNA 2853

AUTHOR INDEX 2885

SUBJECT INDEX 2897

VOLUME TITLE PAGE i

VOLUME CONTENTS iii

Manuscripts should be submitted to one of the members of the Editorial Board or to the Editorial office, c/o M. Goodman, Department of Chemistry, University of California, San Diego, La Jolla, California 92037. Address all other correspondence to Periodicals Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, 10016.